

AUCTION

SHORT NOTICE AUCTION Various Houston Locations

INSPECTION: Varies by Location. See Each Location for Details.

**THURSDAY, FEBRUARY 27
10:00 A.M. CDT
LIVE ONLINE WEBCAST
(NO ONSITE BIDDING)**



DECKEL
MAHO
MDL
DMF360
LINEAR CNC
5-AXIS
VERTICAL
MACHINING
CENTER



VAN DORN
170 T.
INJECTION
MOLDER



CHICAGO D & K 75 T. X 10' PRESSBRAKE



TOYODA 4-AXIS HORIZONTAL MACHINING CENTER

**FEATURING: DECKEL MAHO DMF360 LINEAR CNC 5-AXIS VERT. MACHINING CENTER; FADAL VMC 3016-HT VMC; VAN DORN 170 T. INJECTION MOLDER; SPRING FORMERS & GRINDER; 30 T. OBI PRESS; SHEET METAL SHOP W/WYSONG 10' SHEAR, D & K 75 T. BRAKE, ASSTD. PLATE ROLLS, FOLDERS, BENDERS, SHEARS, TRAILERS; ALSO: (3) 2 T. PED. JIB CRANES; (4) FORKLIFTS: CAT 8,000-LB. LPG, HYSTER 8,000-LB. LPG, YALE 7,000-LB. LPG, HELI 7,000-LB. DIESEL; MUCH MORE!
WATCH FOR CATALOG.**



NUCOIL CNC
SPRING FORMER



BRIDGEPORT
EZ TRAK
VERTICAL
TURRET MILL



YALE 7,000-LB. BASE CAP.
LPG FORKLIFT



CATERPILLAR AND HYSTER
8,000-LB. BASE CAP. LPG FORKLIFTS

**LIVE ONLINE BIDDING ONLY (NO ONSITE BIDDING):
YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING
AT THIS AUCTION. Go to www.pmi-auction.com and click
on BidSpotter or proxibid
on our calendar page for this auction sale.**

18% BUYER'S PREMIUM WILL APPLY

Sale Conducted By:

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, TX Lic. #7314

E-MAIL: pmi@pmi-auction.com • WEBSITE: www.pmi-auction.com

Headquarters:

1304 Langham Creek Drive, Suite 454

Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

LOCATION A
RBR MACHINE
6327 N. SAM HOUSTON PKWY.
W., HOUSTON, TEXAS 77086
INSPECTION: Tuesday & Wednesday,
 February 25 & 26 By Appointment Only.
 Contact Tarek Alzien (832) 729-0623 for
 Appointment. No Cameras or Videos Allowed
 Inside the Facility.

THURSDAY, FEBRUARY 27 • 10:00 A.M. CDT
LIVE ONLINE WEBCAST (NO ONSITE BIDDING)

CNC 5-AXIS VERTICAL MACHINING CENTER
DECKEL MAHO MDL. DMF360 LINEAR, Mfg. 2008, milling feature w/indexing head, approx. 36" x 13' tbl., approx. 24"/4- jaw chuck, 80-station automatic tool changer, rail mounted shuttle, 5-axis, CAT 50 taper, rotary 5th axis w/approx. 24"/4-jaw chuck, Siemens Sinumerik 840D Powerline modular CNC control, chip conveyor outfeed, recirculation/filter system, some related components may be included, S/N 15145361574. (At Location A: RBR Machine, 6327 N. Sam Houston Pkwy. W., Houston, TEXAS 77086.) **NOTE: MACHINE MUST BE COMPLETELY REMOVED FROM THE BUILDING BY FRIDAY MARCH 14, 2025.**



LOCATION B
 Houston Area Spring Manufacturer
 Downsizing – Items Moved to:
RES MACHINERY MOVING
STORAGE FACILITY
701 KENTUCKY STREET,
SOUTH HOUSTON, TX 77587
INSPECTION: Mon. & Tues., February 24 & 25
 By Appointment Only. Contact Roy Scroggins
 (713)409-5307 for Appointment.

SPRING FORMERS
NUCOIL CNC MDL. CSF-200, Mfg. 1999, coiling tbl., transformer, S/N NN067.
TORIN .047-.112 CAP., (2) straightening rolls, cut-off blade, S/N N.A.

WIRE SPRING GRINDER
BESLY BELOIT MDL. 905, 24" dia. cap., (2) 18" vert. spd. grinding wheels, (2) 3 HP motors, 60-pos. indexing, S/N N.A.
DOUBLE DISK GRINDER
GARDNER MDL. 125, (2) 26" grinding wheels, (2) 30 HP drive motors, S/N N.A.
OBI PUNCH PRESS
PRESS RITE 30 T. CAP., mechanical clutch, 2" stroke, S/N N.A.
PAY OFF REEL
SIMCO MDL. GLP 200 ENA, S/N TA0039.
PEDESTAL TYPE JIB CRANES
(3) DAYTON 10'H. X 12' REACH X 2-TON CAP. MDL. 4ZX26, disassembled, no hoist.



GARDNER DOUBLE DISK GRINDER

NUCOIL CNC SPRING FORMER



(3) DAYTON 10'H. X 12' REACH X 2-TON PEDESTAL JIB CRANES



PRESS RITE 30 T. CAP. OBI PUNCH PRESS





CATERPILLAR 8,000-LB. BASE CAP. LPG FORKLIFT



HYSTER 8,000-LB. BASE CAP. LPG FORKLIFT



40' TELECRANE MDL. F21-2S SCISSOR LIFT

LOCATION C

Surplus to the
Ongoing Needs of
TRI R ERECTING
26535 FM 2978,
MAGNOLIA,
TEXAS 77354

INSPECTION: Tuesday &
Wednesday, February 25 & 26
By Appointment Only.

Contact Raul Velasquez at
(936) 548-1103 for Appointment.



YALE 7,000-LB. BASE CAP. LPG FORKLIFT



HELI 7,000-LB. BASE CAP. DIESEL FORKLIFT

FORKLIFTS

CATERPILLAR 8,000-LB. BASE CAP. MDL. GC40K, Mfg. 2018, LPG engine, 92" 3-stage mast, 209" lift ht., side shift, cushion tires, 48" forks, 8,997 hours on digital meter, S/N AT87B10476.

HYSTER 8,000-LB. BASE CAP. MDL. H80FT, Mfg. 2015, LPG engine, 2-stage mast, 167" max. lift ht., dual front cushion tires, S/N U005V02493N.

YALE 7,000-LB. BASE CAP. MDL. GLC070VXNVRE085, LPG engine, 3-stage mast, cushion tires, S/N A910V22993L.

HELI 7,000-LB. BASE CAP. MDL. CPCD35G, Mfg. 2015, Kubota diesel engine, 87" 3-stage mast, 189" lift ht., side shift, pneumatic tires, 48" forks, 4,118 hours on digital meter, S/N 010351M1024.

SCISSOR LIFT

40' TELECRANE MDL. F21-2S SCISSOR LIFT, w/remote control, tow behind style.

INSPECTION: Varies by Location. See Each Location for Details.



VAN DORN 170 T. INJECTION MOLDER

LOCATION D

DOVER PRECISION COMPONENTS
11951 NORTH SPECTRUM BLVD.,
HOUSTON, TEXAS 77047

INSPECTION: Tuesday & Wednesday, February 25 & 26,
9:00 A.M. to 4:00 P.M. Each Day.

INJECTION MOLDING MACHINE

VAN DORN MDL. 170-HT-9.4, Mfg. 1995, 170 T., Pathfinder 4500 control, S/N 2362.

CNC VERTICAL MACHINING CENTER

FADAL MDL. VMC3016-HT, ReMfg. 2005, 4th axis, 10,000 RPM, S/N 032005098141.

VERTICAL TURRET MILLS

REPUBLIC LAGUN MDL. FTV-2, Acu-Rite D.R.O., pwr. feed, pwr. draw bar.

WEBB MDL. 4 VH, Bridgeport variable spd. head, Acu-Rite D.R.O.

BRIDGEPORT EZ-TRAK-DX, (needs repair).

ENGINE LATHE

LODGE & SHIPLEY MDL. AVS, 18" x 60", Omron SYSDrive variable spd. inverter, S/N 46448.

TURRET LATHE

WARNER & SWASEY 3-A MDL. MH950.

HORIZONTAL MILL


KEARNEY & TRECKER MDL. 205S-12, Newall D.R.O.

CNC VERTICAL MILL

HURCO MDL. KMB-1, S/N K-8041090.



LAGUN VERTICAL TURRET MILL




LODGE & SHIPLEY 18" X 60" ENGINE LATHE

**LOCATION
D,
CONTINUED**

**THURSDAY,
FEBRUARY 27
10:00 A.M.
LIVE ONLINE
WEBCAST
(NO ONSITE
BIDDING)**

**LIVE ONLINE BIDDING ONLY
(NO ONSITE BIDDING):
YOU MUST REGISTER IN
ADVANCE FOR ONLINE BIDDING
AT THIS AUCTION.**
Go to www.pmi-auction.com
and click on
BidSpotter or **proxibid**
on our calendar page for this
auction sale.

INSPECTION:
Varies by Location.
See Each Location for Details.




KEARNEY & TRECKER HORIZONTAL MILL



FADAL VMC3016-HT VERTICAL MACHINING CENTER



BRIDGEPORT EZ TRAK VERTICAL TURRET MILL



WARNER & SWASEY 3-A TURRET LATHE



CHICAGO D & K 75 T. X 10' PRESSBRAKE

**LOCATION E
JB PASSMORE, INC.
5607 LEDBETTER, HOUSTON, TEXAS 77087**
INSPECTION: Tuesday & Wednesday, February 25 & 26 By Appointment Only.
Contact Tommy Passmore (281) 932-2932 for Appointment.

MISCELLANEOUS MACHINERY

WYSONG MDL. 1010-RD SHEAR, 10' x 10 ga. cap.; LOCKFORMER ROLL FORMER, 20 ga.; DREIS & KRUMP MDL. 1016 BENDING BRAKE, 10' x 16 ga. cap.; PECK, STOW & WILCOX MDL. 63-F BENDER/BAR FOLDER, 22 ga. cap.; MANUAL EDGE FORMER/BEAD ROLLER; REX WELDING EQUIPMENT SPOT WELDER; CHICAGO DRIES & KRUMP MDL. 810-C PRESSBRAKE, 50-75 T., 10' x 10 ga. cap.; PRESSBRAKE DIES; PECK, STOW & WILCOX (PEXTO) CIRCLE SHEAR, 16-18 ga cap.; PECK, STOW & WILCOX (PEXTO) SLIP ROLLER, 16-18 ga. cap.; DOUBLE ENDED PEDESTAL GRINDER; LINCOLN IDEALARC 200 WELDER; LOWN G500 FORM ROLLER, 5' x 10 ga. cap.; KELLER HY-DUTY POWER HACKSAW; EXTENSION LADDERS; SCAFFOLDING, w/aluminum planks.



LOWN G500 FORM ROLLER



LOCKFORMER FORM ROLLER

**WYSONG G
10' X 10 GA.
MECHANICAL
SHEAR**



MOHAWK MACHINE & WELDING CO.

FM 362, WALLER, TEXAS 77484

INSPECTION: Tuesday & Wednesday, February 25 & 26 By Appointment Only.
Contact Scott Krzyzanowski (281) 415-6720 for Appointment.

4-AXIS HORIZONTAL MACHINING CENTER

TOYODA FH630S, Fanuc 31i Mdl. A, Mfg. 2005, 39.37" X, 31.5" Y, 33.46" Z-axis travels, 60 ATC, high pressure through spindle coolant, 50 taper, 1,500 RPM max. spindle speed, (2) 25" x 25" pallets w/360,000 degree 4th axis, S/N N.A.

**TOYODA 4-AXIS
HORIZONTAL
MACHINING
CENTER**



**THURSDAY, FEBRUARY 27
10:00 A.M. CDT
LIVE ONLINE WEBCAST (NO ONSITE BIDDING)**

SHORT NOTICE AUCTION

Various Houston Locations

FEATURING: DECKEL MAHO DMF360 LINEAR CNC 5-AXIS VERT. MACHINING CENTER; FADAL VMC 3016-HT VMC; VAN DORN 170 T. INJECTION MOLDER; SPRING FORMERS & GRINDER; 30 T. OBI PRESS; SHEET METAL SHOP W/WYSONG 10' SHEAR, D & K 75 T. BRAKE, ASSTD. PLATE ROLLS, FOLDERS, BENDERS, SHEARS, TRAILERS; ALSO: (3) 2 T. PED. JIB CRANES; (4) FORKLIFTS: CAT 8,000-LB. LPG, HYSTER 8,000-LB. LPG, YALE 7,000-LB. LPG, HELI 7,000-LB. DIESEL; 40' TELECRANE F21-2S SCISSOR LIFT; MUCH MORE! WATCH FOR CATALOG.

ONLINE REGISTRATION

Register to bid at

BidSpotter or **proxibid**

1. Use the [link to Bidspotter.com](#) or [Proxibid.com](#) on PMI's website calendar.
[www.pmi-auction.com](#) **DO IT NOW!**
2. This auction may require a Cash, or credit card, or debit card, 100% refundable deposit. If by credit or debit card, it can be added through the Bidspotter.com fully secure and PCI compliant registration process and will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online with this auction. Cash deposits can be made by wire transfer. **DON'T WAIT.** If you are unsuccessful in the auction, the refund of your credit/debit card deposit will occur shortly after the auction ends. Cash deposits will be expedited as well.

If you need assistance, don't hesitate to call (713) 691-4401.

**ALL BIDS ARE SUBJECT TO AN
18% BUYER'S PREMIUM.**

PARTIAL TERMS & CONDITIONS:

An 18% Buyer's Premium Will Apply.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on our website.

ALL PAYMENTS MUST BE MADE BY CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$ _____. This letter is good until March 27, 2025.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE

AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.