| | 1 | |
|-----|-----|---|
| LOT | QTY | DESCRIPTION |
| 1 | 1 | VERTICAL BANDSAW-SANDER, SEARS CRAFTSMAN, 12", tilt |
| | | tbl., on rolling wood cabinet, w/ storage area, extra blades |
| 2 | 1 | ROLLING TOOL BOX, KENNEDY, 14-drawer, w/ contents |
| 3 | 1 | LOT OF HUNTING EQUIPMENT; DEER FEEDER & DEER |
| Ŭ | | SKINNING RACK |
| 4 | 1 | TORQUE WRENCH, PROTO, large, w/ case |
| 5 | 1 | |
| 5 | I | PIN MARKING MACHINE, SCHMIDT 4X4 SKYLINER STYLUS |
| - | 4 | MARKER, S/N 17306 |
| 6 | 1 | MARKING MACHINE, KWIK MARK INC., S/N 27250606 |
| 7 | 1 | |
| 8 | 1 | MICROMETER, WESTERN ELECTRICAL INSTRUMENTS CORP. |
| 9 | 1 | PHOTO-TACH, PIONEER, w/ case |
| 10 | 1 | LOT OF STANDARDS, STARRETT |
| 10A | 1 | OD MICROMETER CALIPER, STARRETT NO. 724, 18" to 24" |
| | | range |
| 10B | 1 | OD MICROMETER CALIPER, STARRETT NO. 224, 20" to 24" |
| | | range |
| 10C | 1 | OD MICROMETER CALIPER, SCHERR TUMICO, 12" to 18" range |
| | | |
| 11 | 1 | LOT OF INDICATING MICROMETERS |
| 12 | 1 | LOT OF ID MICROMETERS, in one box |
| 13 | 1 | LOT OF PLUG & RING GAUGES |
| 14 | 1 | LOT OF BALL GAUGES |
| 15 | 1 | LOT OF RADIUS GAUGE SETS |
| 16 | 1 | LOT OF DIAL TEST INDICATORS |
| 17 | 1 | BRINELL MICROSCOPE, HILIGHT, S/N AC330-01 |
| | 1 | HARDNESS TESTER, ROCKWELL |
| 18 | - | |
| 19 | 1 | LOT OF HEIGHT GAUGES (2): (1) 24", (1) 18" |
| 20 | 1 | HEIGHT GAUGE, HEIGHT MASTER, MITUTOYO, 18", S/N 79076 |
| 21 | 1 | HEIGHT GAUGE, SQUARE MASTER, digital readout, S/N 18-523- |
| | | 00 |
| 22 | 1 | HEIGHT GAUGE, MAUSER, digital readout, S/N 034231A |
| 23 | 1 | LOT OF SHOP SUPPLIES, misc.(in multiple boxes) |
| 24 | 1 | LOT OF COMPUTERS & MONITORS |
| 25 | 1 | LOT OF WORK BENCHES (2), w/ lights |
| 26 | 1 | SURFACE PLATE, 36" x 24" x 4", black granite, w/ steel stand |
| 27 | 1 | GRANITE SURFACE PLATE, MITUTOYO, 24" x 15" |
| 28 | 1 | CONTROL MONITOR, on rolling stand, custom |
| 29 | 1 | LOT OF LOGIC ANALYZERS, HEWLETT PACKARD, (on two |
| | | pallets) |
| 30 | 1 | LOT OF ELECTRONIC COMPONETS, large lot, (on multiple racks) |
| 31 | 1 | WELDING MANIPULATOR, STINGER 6' X 6', mounted on 43" x |
| 51 | | |
| | | 45.5 base, 6' lift ht., 6' boom stroke, hand pendant control, motorized |
| | | boom, S/N 6X6X-282 |
| 32 | 1 | WELDING MACHINE, MILLER MDL. DELTAWELD 652, 650 |
| | | amps @ 44 v., 100% duty cycle, S/N LG460133C |
| 33 | 1 | WELDING MACHINE, LINCOLN MDL. DC400, new 2007, 400 |
| | | amps @ 36 v., 100% duty cycle, S/N U1070808784 |
| 24 | 1 | |
| 34 | I I | WELDING MACHINE, LINCOLN MDL. DC400, new 2007, 400 |
| | | amps @ 36 v., 100% duty cycle, S/N U10706061541248A |
| | | |
| l | | |

| LOT | QTY | DESCRIPTION |
|----------|-----|--|
| 35 | 1 | INDUSTRIAL OVEN, DESPATCH |
| 35A | 1 | LOT OF TORCH STANDS |
| 36 | 1 | WELDING POSITIONER, WELDWIRE MDL. WPT-60/12FB, |
| | | 6,000 lb. cap.,12" overhung front face of table, 12" eccentricity, |
| | | 51" tbl., spds.: 0-1 RPM, pendant control, S/N 1086346 |
| | | |
| 37 | 1 | FLAT FLOOR WELDING TURNTABLE, KEC MDL. FT-400, 20 T., |
| 0. | • | cap., 4' dia., pendant control, variable speed rotation |
| 38 | 1 | WELDING POSITIONER, PROFAX MDL. WF-1000, 1,000 lb. |
| | | cap., 24" tbl., 14" 3-jaw chuck, S/N WP10-3095 |
| 39 | 1 | WELDING POSITIONER, PROFAX MDL. WP250, 250-lb. load |
| | • | cap. vert., 440-lb. load cap. horiz. 13.75" tbl., quick release |
| | | chuck made to fabricated tbl., S/N WP-1436 |
| 40 | 1 | SEMI-AUTOMATIC HORIZONTAL BANDSAW, HEM CYCLONE, |
| 40 | 1 | new 2007, 22" x 16" cap., mitering, 1-14" blade, 7-1/2 HP motor, |
| | | infeed & outfeed roller conveyor, S/N 1000207 |
| 41 | 1 | HORIZONTAL BANDSAW, JET MDL. HBS-1018W, 10" round cap., |
| | | 18" W. cap., 1" blade, S/N 13022394 |
| 41A | 1 | H.D. DOUBLE END GRINDER, SURTY |
| 42 | 1 | LOT OF PALLET RACK SECTIONS (3), 8' x 3-1/2' x 15', w/ contents |
| 72 | • | |
| 43 | 1 | LOT OF PALLET RACK SECTIONS (3), 8' x 3-1/2' x 15', w/ contents |
| | - | |
| 44 | 1 | LOT OF WOODEN WORK BENCHES (APPROX. 5) |
| 45 | 1 | LOT OF WOODEN WORK BENCHES (APPROX. 6) |
| 46 | 1 | LOT OF WOODEN WORK BENCHES (APPROX. 5) |
| 47 | 1 | LOT OF SHELVES & OFFICE FURNITURE, misc. |
| 48 | 1 | LOT OF PALLET RACKING: uprights, beams & mesh inserts, large |
| | | lot |
| 49 | 1 | EXPLOSION BARRICADE, 11' L, 6' ht. |
| 50 | 1 | EXPLOSION BARRICADE, 11' L, 6' ht. |
| 51 | 1 | EXPLOSION BARRICADE, 11' L, 6' ht. |
| 52 | 1 | EXPLOSION BARRICADE, 6' L, 6' ht. |
| 53 54 | 1 | EXPLOSION BARRICADE, 11' L, 6' ht. EXPLOSION BARRICADE, 11' L, 6' ht. |
| 55 | 1 | EXPLOSION BARRICADE, 6' L, 6' ht. |
| 56 | 1 | EXPLOSION BARRICADE, 0 L, 0 ht. |
| 57 | 1 | EXPLOSION BARRICADE, 11' L, 6' ht. |
| 58 | 1 | H.D. I-BEAM WORK HORSE, 10' L. |
| 59 | 1 | H.D. I-BEAM WORK HORSE, 10' L. |
| 60 | 1 | H.D. I-BEAM WORK HORSE, 10' L. |
| 61 | 1 | H.D. I-BEAM WORK HORSE, 10' L. |
| 62 | 1 | OXYGEN / ACETYLENE STORAGE RACK, custom |
| 63 | 1 | OXYGEN / ACETYLENE STORAGE RACK, custom |
| 64 | 1 | OXYGEN / ACETYLENE STORAGE RACK, custom |
| 65 | 1 | LOT OF ROLLER STANDS, misc. |
| 66 | 1 | H.D. METAL WORK BENCH, 7' x 3' x 1" thk. top |
| 67 | 1 | H.D. METL WORK BENCH, 3' x 3' x 1" thk. top |
| 68 | 1 | LOT OF WORK BENCHES, misc. |
| 69 | 1 | H.D. METAL ROLLING CART |
| 70 | 1 | H.D. METAL ROLLING WORK CABINET |
| 71 | 1 | H.D. METAL STORAGE RACK, 2-tier |

| LOT | QTY | DESCRIPTION |
|-------------|----------|---|
| | | |
| 72 | 1 | H.D. METAL STORAGE RACK, 3-tier |
| 73 | 1 | H.D. METAL STORAGE RACK, 3-tier |
| 74 | 1 | H.D. METAL STORAGE RACK, 3-tier |
| 75 | 1 | H.D. METAL STORAGE RACK, 3-tier |
| 76 | 1 | H.D. METAL STORAGE RACK, 2-tier |
| 77 | 1 | H.D. METAL STORAGE RACK, 2-tier |
| 78 | 1 | LOT CONTENTS OF 20' SHIPPING CONTAINER: roller chain, |
| 70 | | bearings, bolts, etc. |
| 79 | 1 | SHIPPING CONTAINER, 20'. w/ custom man door |
| 80 | 1 | LOT OF ELECTRICAL CONDUIT, (in one pile) |
| 81 | 1 | PAINT BOOTH, CUSTOM OPEN SIDE REAR DRAFT, 117"W. x |
| 81A | 1 | CONTENTS OF BUILDING, MISC. SHOP EQUIPMENT |
| 82 | 1 | LOT OF PALLET RACK SECTIONS (2), 8' x 4' x 15' |
| 83 | 1 | LOT OF PALLET RACK SECTIONS (2), 8' x 4' x 15' |
| 84 | 1 | ROTARY SCREW AIR COMPRESSOR, INGERSOLL RAND |
| | 1 | MDL. SSR-EP100, 100 HP, 446 CFM, 125 PSI, S/N |
| | | CK4167U01030 |
| 85 | 1 | REFRIGERATED AIR DRYER, INGERSOLL RAND MDL. |
| | l | MDLNVC600A40N, 230 PSIG, 3-phase |
| 88 | 1 | PORTABLE WATER FILTRATION SYSTEM, WATERMAZE MDL. |
| | | 1.1-3-510.0 COMPACT CoAg, Innovation Series pump, paper |
| | 1 | filtration unit, (2) 300 gal. tanks, (1) 165 gal. tank, mounted inside of a |
| | | 20' sea container (included) |
| 89 | 1 | LOT OF WELDING WIRE & RODS, new |
| 90 | 1 | SHIPPING CONTAINER, 20' L., w/ side exterior door |
| 91 | 1 | LOT OF PALLET RACK SECTIONS (2), 8' X 4' X 10' |
| 93 | 1 | CLIMATE CONTROLLED PORTABLE BUILDING, 7'8"W. x 10'L. x |
| | | 7'8"H., air conditioner |
| 94 | 1 | CUSTOM TOOL CRIB: 10'3" W. x 14' L. x 8'2" Ht., toolholder |
| | | shelving, expanded metal construction |
| 95 | 1 | CUSTOM BUILT FRAME, w/ stair case |
| 95 97 | 1 | LOT OF METAL SHELVES (3), w/ contents |
| 97 98 | 1 | LOT OF STORAGE CABINETS & SHELVES |
| 98 99 | 1 | LOT OF GAS FLOW CHARTS, PARLOW (on one pallet) |
| 99 100 | 1 | LOT OF GAS FLOW CHARTS, PARLOW (on one pallet) LOT OF FILTERS, large lot, misc.(on one pallet) |
| 100 | 1 | LOT OF SHOP SUPPLIES, misc.(on one pallet) |
| 101 | 1 | LOT OF ELECTRICAL WIRE & CONDUIT |
| 103 | 1 | LOT OF HD LIGHT BULBS, LUNARX |
| 105 | 1 | LOT OF ELECTRICAL BOXES (on one pallet) |
| 100 | 1 | LOT OF ELECTRICAL BOXES (off one pariet) |
| 107 | 1 | LOT OF ELECTRICAL CONDUIT HARDWARE (on one pallet) |
| 100 | 1 | LOT OF SWITCH GEAR, SQUARE D (on one pallet) |
| 110 | 1 | PALLET RACK SECTION, 8' x 3-1/2' x 10' |
| 111 | 1 | ELECTRICAL TRANSFORMER, GE, 75 KVA |
| 112 | 1 | ELECTRICAL TRANSFORMER, GE, 75 KVA ELECTRICAL TRANSFORMER, HPS, 10 KVA |
| 113 | 1 | ELECTRICAL TRANSFORMER, HPS, 10 KVA |
| 114 114A | 1 | CHILLER, KOOLANT KOOLER, DIMPLEX THERMAL |
| 1147 | ľ | SOLUTIONS, |
| 115 | 1 | AUTOMATIC SURFACE GRINDER, WILLIS MDL. 1224-3A, 12" x |
| GLI | I | 24" magnetic chuck, 5HP, 14" x 1.5" x 5" wheel size, hyd. tbl. Feed, |
| | | auto down feed, paper filter coolant sys., S/N 083526 |
| | <u> </u> | ןמננט טטאודוכבט, אמאבו ווונפו נטטומות SyS., סאו טאסטעט |

| LOT | QTY | DESCRIPTION |
|-------|-----|--|
| 116 | 1 | RADIAL ARM DRILL, GIDDINGS & LEWIS BICKFORD |
| | | CHIPMASTER 3' X 9", tilting box tbl., S/N 951-00565-74 |
| 117 | 1 | ENGINE, LATHE, VICTOR MDL. 1640B, 16" sw. over bed, |
| | | 9.84" over cross slide, 23" gap, 40" centers, 16 spdl spds. from |
| | | 33-2,200 RPM, 7.5 HP, 2.03" spdl. bore, D1-6 nose, 8-1/4" 3- |
| | | jaw chuck, steady rest & follower rest, Newall C80 DRO, |
| | | additional chucks, faceplates & tooling, S/N 006249 |
| | | |
| 118 | 1 | CNC VERTICAL TURNING CENTER, CHEVALIER MDL. |
| | | FVL1250TC+C , new 2013, Fanuc Oi-TD control, 49" 4-jaw chuck, |
| | | 62.99" max swing, 53.15 max turning dia., 7.24" max. cutting ht., |
| | | 17,600-lb. max. tbl. Weight, 3-3 RPM on tbl., 50/ 60 tbl. HP, 2,500 |
| | | milling RPM, JIS50P-1 spdl. taper, 20/ 25 milling HP, BT50 tool |
| | | shank, (16) ATC, S/N FHX129003 |
| 119 | 1 | VERTICAL TURRET LATHE, BULLARD 42" CUTMASTER, 42" 4- |
| | | jaw chuck w/ built-in master jaws, side head, turret head, Newall DP- |
| | | 700 DRO, S/N 1639 |
| 120 | 1 | CNC HORIZONTAL BORING MILL, NOMURA MDL. HBA-110T-R3, |
| | | new 7/2008, Fanuc 16I-MB cnc control, 55" 63" built-in rotary tbl., |
| | | 15,400-lb. tbl. Load, 8.7" X, 60" Y, 55.1" Z, 19.7" W-axis travel, 4.3" |
| | | spdl. Dia., CAT-50, 4,000 RPM, 30 HP, 40-pos. ATC, S/N 5324 |
| 121 | 1 | HORIZONTAL BORING MILL, NOMURA MDL. B100-SR, 45" x 50" |
| | | rotary table, 11,000-lb. tbl. load, 60" X, 47.6" Y, 43" Z, 26" W-axis |
| | | travel, 3.94" spdl. dia., CAT-50, 1,200 RPM, 20 HP, ball screws, S/N |
| | | 3790 |
| 122 | 1 | VERTICAL TURRET MILL, BRIDGEPORT MDL. 2J, 9" x 42" tbl., |
| | | variable spds.: 60-4,200 RPM, 1.5 HP, long. Pwr. Feed, Newall DP- |
| 100 | 1 | 700 2-axis D.R.O., swivel vise, S/N 165697 |
| 123 | 1 | RADIAL ARM DRILL, GIDDINGS & LEWIS BICKFORD CHIPMASTER 6' X 15", pwr. clamp, feed & elevation, box tbl. |
| | | Coolant, S/N 00150 |
| 123A | 1 | MECHANICAL PRESSBRAKE, WYSONG MDL. 90-10, 12' bed, |
| 120/1 | | 10'6" distance btwn. Housings, 3" stroke, 4" adj., 8-1/2" throat depth, |
| | | 12" max. die space, S/N PB56-123 (SOLD BY PHOTO) (Located at: |
| | | Core Mechanical, 101 Pruitt Road, Spring, TX 77380) |
| 124 | 1 | LOT CONSISTING OF: v-block & (1) large angle plate |
| 125 | 1 | CHUCK, 3-JAW, 24" |
| 126 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 127 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 128 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 129 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 130 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 131 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 132 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 133 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 134 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 135 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 136 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 137 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 138 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 139 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 140 | 1 | LOT OF CARBIDE INSERT TOOL BARS (in one box) |
| 141 | 1 | LOT OF CARBIDE INSERT TOOLING (in one box) |

| LOT | QTY | DESCRIPTION |
|-----|-----|---|
| 142 | 1 | LOT OF CARBIDE INSERT BALL NOSE TOOLING (in one box) |
| 143 | 1 | LOT OF CARBIDE INSERT BORING BARS |
| 144 | 1 | LOT OF DRILL BITS (in one box) |
| 145 | 1 | LOT OF TOOLING, misc. (in one box) |
| 146 | 1 | LOT OF TOOLING, misc. (in one box) |
| 147 | 1 | LOT OF TOOLING, misc. (in one box) |
| 148 | 1 | LOT OF CAT-50 HOLDERS, w/ tooling |
| 149 | 1 | LOT OF CAT-50 HOLDERS, w/ tooling |
| 150 | 1 | LOT OF CAT-50 HOLDERS, w/ tooling |
| 151 | 1 | LOT OF CAT-50 HOLDERS, w/ tooling |
| 152 | 1 | LOT OF CAT-50 HOLDERS, w/ tooling |
| 153 | 1 | LOT OF CAT-50 HOLDERS, w/ tooling |
| 154 | 1 | LOT OF CAT-50 HOLDERS, w/ tooling |
| 155 | 1 | LOT OF CAT-50 HOLDERS, w/ tooling |
| 156 | 1 | LOT OF CAT-50 HOLDERS, w/ tooling |
| 157 | 1 | LOT OF CAT-50 HOLDERS, w/ tooling |
| 158 | 1 | LOT OF CAT-50 HOLDERS, w/ tooling |
| 159 | 1 | LOT OF CAT-50 HOLDERS, w/ tooling |
| 160 | 1 | LOT OF CAT-50 HOLDERS |
| 161 | 1 | LOT OF CAT-50 HOLDERS |
| 162 | 1 | METAL TABLE , 4' x 4' x 2' |
| 163 | 1 | METAL TABLE, 4' x 4' x 2' |
| 164 | 1 | METAL TABLE, 4' x 4' x 2' |
| 165 | 1 | METAL TABLE, 4' x 4' x 2' |
| 166 | 1 | METAL TABLE, 4' x 4' x 2' |
| 168 | 1 | CLIMATE CONTROLLED PORTABLE BUILDING, MOBILE MINI, |
| | | 8'W. x 20'L. x 8'H., LG air conditioner |
| 169 | 1 | LOT OF PALLET RACK SECTIONS (2), 8' x 4' x 12', w/ mesh |
| | | inserts |
| 170 | 1 | LOT OF PALLET RACK SECTIONS (2), 8' x 4' x 12', w/ mesh |
| | | inserts |
| 171 | 1 | LOT OF PALLET RACK SECTIONS (2), 8' x 4' x 12', w/ mesh |
| | | inserts |
| 172 | 1 | LOT OF PALLET RACK SECTIONS (2), 8' x 4' x 12', w/ mesh |
| | | inserts |
| 173 | 1 | LOT OF PALLET RACK SECTIONS (3), 8' x 4' x 12', w/ mesh |
| | | inserts |
| 174 | 1 | FORKLIFT, TAYLOR 30,000-LB. BASE CAP. MDL. TE300M, diesel, |
| | | 216" max. lift, 170" tall mast, 86" W. carriage, 110" long forks, dual |
| | | front pneu. tires, 6505.3 H.O.M., S/N S-H6-17570 |
| 175 | 1 | FORKLIFT, TAYLOR 30,000-LB. BASE CAP. MDL. TE300S, diesel, |
| _ | | 28,875 lb. cap. @ 24" LC, 20,100 lb. cap. @ 36" LC, 132" max. lift, |
| | | 144" tall mast, 100" W. carriage, 96" long forks, dual front pneu. tires, |
| 1 | | 4089.6 H.O.M., S/N S-H3-17609 |
| 176 | 1 | FORKLIFT, DOOSAN 15,500-LB BASE CAP MDL D70S-5, new |
| | | 2010, diesel engine, 130" 2-stage mast, 177" lift ht., side shift, dual |
| 1 | | drive pneu. tires, 48" forks, S/N P9-00529 |
| 177 | 1 | FORKLIFT, CATERPILLAR 6,000-LB. BASE CAP MDL. P6000, |
| | | diesel, 83" 3-stage mast, 186" lift ht., side shift, pneumatic tires, 42" |
| 1 | | forks, S/N AT14E00179 |
| L | 1 | |

| LOT | QTY | DESCRIPTION |
|------|-----|---|
| 177A | 1 | |
| ITTA | I | LPG FORKLIFT, NISSAN UNICARRIERS 5,000-LB. BASE CAP. |
| | | MDL. MCP-1F2A25LV , new 2017, LPG, 317 H.O.M., 3-stage mast, |
| | | 188" lift ht., side shift, S/N CP1F2-9W26035 (SOLD BY PHOTO) |
| | | (Located at: Core Mechanical, 101 Pruitt Road, Spring, TX 77380) |
| | | (Tank included) |
| 178 | 1 | LPG FORKLIFT, TOYOTA 6,500 LB BASE CAP. MDL. 8FGCU32, |
| | | new 2019, LPG pwrd., Toyota 4Y ECS engine, 131.5" max. lift, 2- |
| | | stage mast, 82.5" lowered mast height, 42" forks, single/double pallet |
| | | handler, side shift, open operator station, 11891.4 H.O.M., S/N 72238 |
| | | (Tank not included) |
| 179 | 1 | LPG FORKLIFT, TOYOTA 6,500 LB BASE CAP. MDL. 8FGCU32, |
| | | new 2018, LPG pwrd., Toyota 4Y ECS engine, 131.5" max. lift, 2- |
| | | stage mast, 82.5" lowered mast height, 42" forks, single/double pallet |
| | | handler, side shift, open operator station, 15214.5 H.O.M., S/N 71413 |
| | | (Tank not included) |
| 180 | 1 | LPG FORKLIFT, TOYOTA 6,500 LB BASE CAP. MDL. 8FGCU32, |
| | | new 2018, LPG pwrd., Toyota 4Y ECS engine, 131.5" max. lift, 2- |
| | | stage mast, 82.5" lowered mast height, 42" forks, single/double pallet |
| | | handler, side shift, open operator station, 12087.8 H.O.M., S/N 71402 |
| | | (Tank not included) |
| 181 | 1 | LPG FORKLIFT, TOYOTA 6,500 LB BASE CAP. MDL. 8FGCU32, |
| 101 | 1 | new 2018, LPG pwrd., Toyota 4Y ECS engine, 131.5" max. lift, 2- |
| | | stage mast, 82.5" lowered mast height, 42" forks, single/double pallet |
| | | handler, side shift, open operator station, 13608.3 H.O.M., S/N 71806 |
| | | (Tank not included) |
| 182 | 1 | LPG FORKLIFT, TOYOTA 3,000-LB. CAP. MDL. 8FGCU15, new |
| 102 | | 2013, LPG pwrd., 84" 2-stage mast, 42" forks, cushion tires, 8,191.8 |
| | | H.O.M., S/N 21307 (Tank not included) |
| 183 | 1 | ELECTRIC ORDER PICKER, YALE 3,000 LB. BASE CAP. MDL. |
| | | OS030ECN24TE089, new 2011, electric, 24 v. battery included, 89" |
| | | triple stage mast, 195" lift height, S/N C801N09120J |
| 104 | 4 | |
| 184 | 1 | ELECTRIC ORDER PICKER, YALE 3,000 LB. BASE CAP. MDL. |
| | | OS030ECN24TE089, new 2011, electric, 24 v. battery included, 89" |
| | | triple stage mast, 195" lift height, 7397.0 H.O.M., S/N C801N09252J |
| 185 | 1 | ELECTRIC ORDER PICKER, YALE 3,000 LB. BASE CAP. MDL. |
| | | OS030ECN24TE089, new 2011, electric, 24 v. battery included, 89" |
| | | triple stage mast, 195" lift height, 7517.5 H.O.M., S/N C801N09245J |
| 186 | 1 | BATTERY CHARGER, 24 v. output |
| 186A | 1 | MANLIFT BASKET, 4X4, W/FORKLIFT PACKETS |
| 187 | 1 | LOT CONTENTS OF OFFICE: (2) desks, chairs, monitors, (2) |
| | | hutches |
| 188 | 1 | LOT CONTENTS OF OFFICE: L-shaped desk, chairs, (2) metal |
| | | cabinets, w/ doors |
| 189 | 1 | LOT CONTENTS OF COFFEE BAR: Keurig machine, round table |
| 190 | 1 | LOT CONTENTS OF OFFICE: desks, chairs, (1) hutch, monitors |
| 191 | 1 | LOT CONTENTS OF OFFICE: desk, chairs, book shelf, etc. |
| 192 | 1 | TELEVISION, SAMSUNG, 50" |
| 193 | 1 | LARGE CONFERENCE ROOM TABLE, w/ approx. (8) chairs |
| 194 | 1 | LOT OF FURNITURE: round table, (2) book shelves |
| 195 | 1 | LOT CONTENTS OF OFFICE: L-shaped desk, chairs, hutch, (2) |
| 1 | | monitors |

| LOT | QTY | DESCRIPTION |
|-----|-----|--|
| 196 | 1 | LOT CONTENTS OF OFFICE: L-shaped desk, chairs, table, double |
| | | door cabinet |