

Joe Fuller LLC  
Catalog - 01-18-23

LOT	QTY	DESCRIPTION
1	1	<b>MAGNETIC BASE DRILL, NITTO KOHKI MDL. WA-5000</b> , automatic feed, 11/16" -2" cutter dia., 3/8" - 2" plate thickness
2	1	<b>MAGNETIC BASE DRILL, NITTO KOHKI MDL. WA-5000</b> , automatic feed, 11/16" -2" cutter dia., 3/8" - 2" plate thickness
3	1	<b>MAGNETIC BASE DRILL, NITTO KOHKI MDL. WA-5000</b> , automatic feed, 11/16" -2" cutter dia., 3/8" - 2" plate thickness
4	1	<b>MAGNETIC BASE DRILL, MILWAUKEE MDL. 4203</b> , adjustable position, variable speed, 11" drill travel
5	1	<b>MAGNETIC BASE DRILL, MILWAUKEE MDL. 4203</b> , adjustable position, variable speed, 11" drill travel
6	1	<b>MAGNETIC BASE DRILL, DEWALT MDL. 1555</b> , 375 RPM
7	1	<b>DEEP CUT BAND SAW, MILWAUKEE MDL. 6235</b> , 5" x 5" material cap.
8	1	<b>DEEP CUT BAND SAW, BLACK &amp; DECKER MDL. 3122</b> , 2-speed
9	1	<b>ORBITAL RECIPROCATING SAWZALL, MILWAUKEE MDL. 6538-21</b> , w/ case
10	1	<b>ORBITAL RECIPROCATING SAWZALL, MILWAUKEE MDL. 6538-21</b> , w/ case
11	1	<b>LOT OF RIGHT ANGLE GRINDERS (3):</b> (2) Dewalt, (1) N/A
12	1	<b>LOT OF RIGHT ANGLE GRINDERS (3):</b> (1) Dewalt Mdl. DWE43214N, 5", (1) Dewalt Mdl. DWE43848CN, 5", (1) Milwaukee Mdl. 6140, 4-1/2"
13	1	<b>LOT OF CORDED TOOLS (5):</b> (1) Milwaukee 1/2" impact wrench, (1) Sawzall, (2) right angle drills, (1) sander
14	1	<b>PNEUMATIC IMPACT WRENCH, ATLAS COPCO MDL. LBT5</b> , 1", w/ sockets, 6" extension & 1" to 3/4" reducer
15	1	<b>LOT OF PNEUMATIC IMPACT WRENCHES (2)</b> , 1/2", w/ sockets
16	1	<b>LOT OF PNEUMATIC NEEDLE SCALERS (3)</b>
17	1	<b>LOT OF PNEUMATIC TOOLS (8):</b> (1) 3/8" ratchet wrench, (1) Sawzall, (2) grinders & (2) sanders
18	1	<b>LOT CONSISTING OF:</b> (1) Schumacher Mdl. SE3000 battery charger, manual wheel charger, w engine start, 150/ 200 amp, (1) Schumacher Mdl. SE82-6 manual automotive battery charger, 6/2 amp. 12/6 volt dual rate, (1) hydraulic floor jack, (2) floor stands
19	1	<b>LOT OF BATTERY POWERED TOOLS:</b> (1) Dewalt hand saw, drill, batteries, chargers & Milwaukee grinder, w/ battery & charger
20	1	<b>BELT/ DISK SANDING CENTER, DELTA MDL. 31-300</b> , 6" belt, 12" disk, 120/240 v, sgl. Phase
21	1	<b>LOT OF BENCH GRINDERS (2):</b> (1) Dayton Mdl. 4Z123F, 6", w/ pedestal & (1) Black & Decker Mdl. 9407, 6"
22	1	<b>LOT OF SHOP VACUUMS (2):</b> (1) Ridgid 5.5 HP, 16 gal. cap., (1) 2.0 HP, 5 gal. cap.
23	1	<b>LOT OF PATIO HEATERS (3):</b> (2) 8', w/ propane tank, (1) 6', w/ propane tank
24	1	<b>PORTABLE KEROSENE/ DIESEL / OIL FORCED AIR HEATER, TRADESMAN MDL. K210</b> , 210,000 Btu/h
25	1	<b>PORTABLE KEROSENE/ DIESEL / OIL FORCED AIR HEATER, TRADESMAN MDL. K170</b> , 175,000 Btu/h
25A	1	<b>PROPANE HEATER, 16" SQUARE X 36" TALL</b>
26	1	<b>LOT CONSISTING OF:</b> (1) Black & Decker Professional, cut-off saw, 14" & (1) vise, w/ pedestal, 4"
27	1	<b>BANDING CART, SIGNODE MDL. 15</b> , w/ tensioner, crimper, 34" W. steel banding & 1/2" W. steel banding
28	1	<b>PEDESTAL FAN, 32" dia.</b>

Joe Fuller LLC  
Catalog - 01-18-23

LOT	QTY	DESCRIPTION
29	1	<b>PEDESTAL FAN, 32" dia.</b>
30	1	<b>PEDESTAL FAN, 32" dia.</b>
30A	1	<b>PEDESTAL FAN, 32" dia.</b>
30B	1	<b>LOT OF (2) HIGH VELOCITY FANS, WALL MOUNT, 26" Dia</b>
31	1	<b>H.D. HORIZONTAL BAND SAW, AMADA MDL. H-250SA, auto water on/ off, w/ infeed &amp; outfeed, S/N 2478</b>
32	1	<b>IRONWORKER, PIRANHA P50, punch, shear, etc., S/N 10636</b>
33	1	<b>POWER PLATE ROLL, LOWN MDL. B400, 48" x 12-14 ga. material thickness, 4" rolls, S/N B1738</b>
34	1	<b>LATHE, AMERICAN PACEMAKER, 24" X 80", 4-jaw chuck, taper, steady rest, Dorian tool post, (4) holders, S/N 75859-58</b>
35	1	<b>DRILL PRESS, VICTOR FLOOR TYPE, M.D. S-24B, 1-1/2 HP, 220 v., 3-phase, S/N 8802374</b>
36	1	<b>DRILL PRESS, VICTOR FLOOR TYPE, M.D. S-24E, 1-1/2 HP, 220 v., 3-phase, S/N 8408107</b>
36A	1	<b>AIR COMPRESSOR, ATLAS COPCO GX5FF, MDL. 8152101799, new 2013, 7.5 HP, H.O.M 2,756.93., w/ horizontal air receiver, S/N CA1615040</b>
37	1	<b>POWER TURNTABLE, WELDWIRE MDL. WFT-40, 40,000 lb. support cap. at 12", 72" tbl. dia., S/N 12700.</b>
38	1	<b>WELDING POSITIONER, RANSOME MDL. 60-P, 5,000 lb. cap., rotation torque 72,000 in lbs., tilt torque 133,000 in lbs., 60" dia tbl.</b>
39	1	<b>WELDING POSITIONER, JOE FULLER LLC, MDL. JFP30, 3,000 lb. cap., 30" square tbl.</b>
40	1	<b>WELDING POSITIONER, JOE FULLER LLC, MDL. JFP30, 3,000 lb. cap., 30" square tbl., w/ 16" 3-jaw chuck</b>
41	1	<b>WELDING POSITIONER, RANSOME MDL. 25-P, 2,500 lb. cap., 42" dia. tbl., w/ 18" 3-jaw chuck, S/N 16-2175</b>
42	1	<b>WELDING POSITIONER, RANSOME MDL. B3-C, 300 lb. cap., 20" dia. tbl., w/ 8" 3-jaw chuck, S/N 0929599</b>
43	1	<b>WELDING POSITIONER, RANSOME MDL. B3-C, 300 lb. cap., 20" dia. tbl., S/N 0924772</b>
44	1	<b>WELDING POSITIONER, PROFAX MDL. WP-250, 250 lb. cap. V., 440 lb cap., 13.75" dia. tbl., w/ 8" dia. 3-jaw chuck, 0-5 speed/rpm, angle 0-90 deg.</b>
44A	1	<b>GRIPPER, PANDJIRIS MDL. G, S/N 41-1135</b>
45	1	<b>WELDING MANIPULATOR, RANSOME 51 1/4 GA, 480 v., sgl. phase, 12 x 12, S/N 99-0120</b>
45A	1	<b>LOT OF CHUCKS (2): (1) 21", 3-jaw, (1) 16", 3-jaw</b>
45B	1	<b>LOT OF CHUCKS (3): (2) 12", 4-jaw, (1) 12", 3-jaw</b>
45C	1	<b>INDEXING CHUCK, YUASA 8"</b>
45D	1	<b>LOT OF DRILL BITS &amp; HOLE SAWS</b>
46	1	<b>MIG WELDER, MILLER DELTAWELD 452 MDL. 903377, new 2007, power source 230/ 460/ 575 v., 3-phase, output range, 10-38 v., 0-450 amps DC, w/ Miller 24A wire feed, S/N LH370257C</b>
47	1	<b>MIG WELDER, MILLER DELTAWELD 452 MDL. 903377, new 2007, power source 230/ 460/ 575 v., 3-phase, output range, 10-38 v., 0-450 amps DC, w/ Miller 24A wire feed, S/N LH130179C</b>
48	1	<b>MIG WELDER, MILLER DELTAWELD 452 MDL. 903394, new 1999, power source 230/ 460/ 575 v., 3-phase, output range, 10-38 v., 0-450 amps DC, S/N KK052885</b>
49	1	<b>MIG WELDER, MILLER DELTAWELD 452 MDL. 903254, new 1997, power source 230/ 460/ 575 v., 3-phase, output range, 10-38 v., 0-450 amps DC, S/N KH459428</b>

Joe Fuller LLC  
Catalog - 01-18-23

LOT	QTY	DESCRIPTION
50	1	<b>MIG WELDER, MILLER DELTAWELD 452 MDL. 903394</b> , new 1995, power source 230/ 460/ 575 v., 3-phase, output range, 10-38 v., 0-450 amps DC, S/N KF958347
51	1	<b>MIG WELDER, MILLER DELTAWELD 452 MDL. 903394</b> , new 1995, power source 230/ 460/ 575 v., 3-phase, output range, 10-38 v., 0-450 amps DC, S/N KF958361
52	1	<b>MIG WELDER, MILLER DELTAWELD 450 MDL. 902578</b> , new 1987, multi-process, power source 230/ 460 v., 3-phase, w/ Miller R-115 wire feed, S/N JH302796
53	1	<b>WELDER, MILLER 330 A/BP AC/DC ARC WELDER</b> , S/N JE784458
54	1	<b>CV/DC ARC WELDING / POWER SOURCE/ WIRE FEEDER, MILLERMATIC 200</b> , S/N JJ518594
55	1	<b>WELDER, AIRCO</b> , Primary: 230/ 460 v., 82/ 41 amps., 30 KW, 32.7 Kva, 60 hz., Secondary: 40 v., 600 amps., 100% duty cycle, 31 max. OCV, leads, on casters, S/N 72-847103
56	1	<b>MIG WELDER &amp; POWER FEED, THERMAL ARC</b> , 500 SP power master, S/N A818007AW1000502 & SP400W Professional, S/N A805008AW30000202
57	1	<b>PLASMA CUTTER, VICTOR THERMAL DYNAMICS CUTMASTER 152</b> , new 2016, w/ cart, S/N N.A.
58	1	<b>PLASMA CUTTING SYSTEM, MERLIN PAK 15XC</b> , S/N N.A.
59	1	<b>LOT CONSISTING OF:</b> (1) Miller Coolmate 3 coolant system & (1) Miller A24 wire feed
59A	1	<b>LOT OF WIRE FEEDS (3), LINCOLN LN25</b> (on one pallet)
60	1	<b>LOT OF OXYGEN/ ACETYLENE CARTS (2)</b> , w/ gauges & other accessories
60A	1	<b>PALLET OF OXYGEN/ACETYLENE HOSES</b>
61	1	<b>DRY ROD ELECTRODE STABILIZING OVEN, PHOENIX MDL. 9</b> , temp. range 100 - 500 deg. F., w/contents, approx. 36" dia.
62	1	<b>DRY ROD ELECTRODE STABILIZING OVEN, PHOENIX MDL. 160</b> , temp. range 100 - 500 deg. F., w/contents, approx. 22" dia.
63	1	<b>DRY ROD OVEN, KEEN MDL. K450</b> , 120 v., sgl. phase, 1,000 watt
64	1	<b>LOT OF CONTROL BOXES (4):</b> (3) Lincoln, (1) Jetline
65	1	<b>LOT CONSISTING OF:</b> (1) Jet Line welding head, w/ Miller wire feed & control, (1) w/ step over head, (1) w/ 2-step over heads (on three separate pallets)
66	1	<b>TRACK TORCH PORTABLE CUTTING MACHINE, VICTOR VCM 200</b> , w/ track, S/N 0019380
67	1	<b>TRACK TORCH PORTABLE CUTTING MACHINE, KOIKE IK-12 MAX 3</b>
68	1	<b>LOT CONSISTING OF:</b> (1) track torch & (1) adjustable torch holder
69	1	<b>TANK TURNING ROLL SET, ARONSON (JOE FULLER REBUILD)</b> , 15-T.cap. driver & idler, 12" dia wheels
70	1	<b>TANK TURNING ROLL IDLER, RANSOM 30,000 LB. CAP.</b> , approx. 21" dia. Wheel
71	1	<b>LOT CONSISTING OF:</b> (1) Webb drive unit, w/ 12" dia. wheels, 6,000 lb. cap., & (4) Mdl. 16-PWR Idler units, w/ 10" dia. wheels & (1) frame
72	1	<b>LOT CONSISTING OF:</b> turning roll parts, 12" dia. wheels, drive motors & frames (on two pallets)
73	1	<b>LOT OF DRIVE &amp; IDLER ROLLS</b> , 5 T. to 50 T. cap., misc.
73A	1	<b>LOT OF (3) PALLETS OF GEAR HOUSINGS AND GEARS</b>
74	1	<b>LOT CONSISTING OF:</b> (approx.7) 12" dia. unused turning roll wheels, (approx.. 6) 20" dia., (approx.4) 28" dia.

Joe Fuller LLC  
Catalog - 01-18-23

LOT	QTY	DESCRIPTION
74A	1	<b>LOT OF GEAR REDUCERS</b> (on two pallets)
75	1	<b>LOT OF SINGLE &amp; DOUBLE SHAFT GEAR REDUCERS, JOYCE/ DAYTON,</b> (on two pallets)
75A	1	<b>LOT CONSISTING OF:</b> maintenance parts, pillow block bearings, seals, bearings, chain, spanner nuts, shafts, sprockets
75B	1	<b>LOT OF GEAR &amp; BEARING PULLERS,</b> w/ slug buster punch set
75C	1	<b>LOT OF WIRE SPOOLS (6),</b> w/ various dia. wire, w/ rack
76	1	<b>STEP UP TRANSFORMER,</b> 220 v. to 440 v.
77	1	<b>SCISSOR LIFT TABLE,</b> 4,000 lb. cap., 110 v., 36" x 120"
78	1	<b>SCISSOR LIFT TABLE,</b> 4,000 lb. cap., 110 v., 36" x 120"
79	1	<b>H-FRAME PRESS, BIG ENERPAC,</b> w/ powerpac
80	1	<b>PRESS FRAME, 30 T. CAP.,</b> needs hydraulics
81	1	<b>LOT OF HYDRAULIC PUMPS (3):</b> (1) Enerpac & (2) Power Train
82	1	<b>LOT OF HYDRAULIC RAMS (9), ENERPAC &amp; OTHERS</b>
83	1	<b>LOT OF WORK SUPPORT STANDS (APPROX. 15),</b> w/ rollers
84	1	<b>LOT OF WORK SUPPORT STANDS (APPROX. 15),</b> w/ rollers
85	1	<b>LOT OF WORK SUPPORT STANDS (APPROX. 12)</b>
86	1	<b>LOT OF WORK SUPPORT STANDS (APPROX. 11)</b>
87	1	<b>LOT CONSISTING OF:</b> chains & slings
88	1	<b>LOT OF (2) 1/2" DOUBLE CHAIN SLINGS, OBLONG MASTER LINK &amp; SLING HOOK, (1) 12' LIFT, (1) 8' LIFT</b>
88A	1	<b>LOT OF (2) 1/2" DOUBLE CHAIN SLINGS, OBLONG MASTER LINK &amp; SLING HOOK, 8' LIFT</b>
88B	1	<b>LOT OF (2) 1/2" DOUBLE CHAIN SLINGS, OBLONG MASTER LINK &amp; SLING HOOK, 8' LIFT</b>
88C	1	<b>LOT OF LIFTING SLINGS, (1) 20' LONG, (2) 7' LONG AND (1) CHAIN, 7' LONG</b>
89	1	<b>LOT CONSISTING OF:</b> shackles & plate clamps (on two pallets)
90	1	<b>LOT CONSISTING OF:</b> quick clamps, c-clamps & bar style adjustable clamps (on two pallets)
91	1	<b>SINGLE PERSON MANUALLY PROPELLED MAINTENANCE LIFT, BALLYMORE BL-C14,</b> w/ 20" x 64" cantilever aluminum platform & 42" guard rails, 300 lb. cap., 20' working ht.
92	1	<b>LOT CONSISTING OF:</b> (1) pallet of All-Thread rod, various lengths & diameters & (1) Tifco pigeon hole cabinet, w/ fasteners
93	1	<b>LOT OF TOOLS:</b> sledge hammers, pry bars, adjustable wrench, wedges & other items (on one pallet)
94	1	<b>SAFETY STORAGE CABINET, EAGLE MDL. 1947, 18" X 43" X 65",</b> w/ contents
95	1	<b>FIRE RESISTANT, DOUBLE WALL CABINET, JAMCO MDL. BR75-GP, 59" W. x 34" dp. x 65" ht.,</b> (Note: partial removal of door jam to remove from office. Door jam will need to be replaced)
96	1	<b>CABINET, JAMCO 24" X 60" X 78",</b> w, contents
97	1	<b>CABINET, JAMCO 24" X 60" X 78",</b> w, contents
98	1	<b>HOPPER, 54" X 62" X 40" HT.,</b> w/ casters
99	1	<b>HOPPER, 36" X 60" X 40" HT.</b>
100	1	<b>HOPPER, 20" X 29" X 27" HT.,</b> w/ casters
101	1	<b>STEEL FABRICATED TABLE, 72" X 120" X 35" HT.</b>
102	1	<b>LOT OF STEEL FABRICATED TABLES (2):</b> (1) 45" x 108" x 28" ht., & (1) 48" x 115" x 34" ht.
103	1	<b>LOT OF STEEL FABRICATED TABLES (2):</b> (1) 52" x 52" x 36" ht., & (1) 36" x 48" x 34" ht.

Joe Fuller LLC  
Catalog - 01-18-23

LOT	QTY	DESCRIPTION
104	1	<b>LOT OF STEEL FABRICATED TABLES (2):</b> (1) 48" x 48" x 41" ht., & (1) 37" x 36" x 36" ht., w/ 5" vise
105	1	<b>LOT OF PALLET RACK SECTIONS (2),</b> 4-tier & 3-tier, 42" x 96" x 14' ht., (1)
105A	1	<b>STEEL ROLLING SCAFFOLD, GKN KWIKFORM, (4) UPRIGHTS, (8) CROSS SUPPORTS, APPROX. 6' TALL</b>
106	1	<b>LOT OF H.D. SHELVES (5):</b> (4) 18" x 72" x 72" & (1) 24" x 72" x 72" (Note: contents not included)
106A	1	<b>LOT OF (3) PALLET RACK SECTIONS, (2) 4 TIER AND 3 TIER, 42" X 96" X 14' TALL, (1) 42" X 96" X 108" TALL</b>
107	1	<b>LOT OF LADDERS (2):</b> (1) Werner, 20" aluminum extension & (1) 4', A-frame
108	1	<b>PALLET JACK</b>
109	1	<b>ROUGH TERRAIN CRANE, PETTIBONE MDL. 30,</b> 15 T. cap., Cummins diesel, Johnson hook/ block, 3-stage mast, 3,832 H.O.M., Goodyear 16.0024TC pneumatic tires, outriggers, S/N N.A.
110	1	<b>FORKLIFT, HYSTER MDL. H155XL2, 14,900 LB. CAP. @ 24' LC.,</b> 6,867 H.O.M., diesel pwr., 8' forks, dual front pneumatic style cushion tires, single rear pneumatic style cushion tires, S/N G006V04391D
110A	1	<b>FORKLIFT, NISSAN MDL. 90, 8,400 LB. CAP.,</b> diesel, dual front pneumatic tires, single rear, side shift, 2-stage mast (Tall) approx. 9-1/2' mast, 25,130 H.O.M., diesel, S/N WCF03A40V
111	1	<b>FORKLIFT, KOMATSU MDL. FG40T6, 8,000 LB. CAP.,</b> LPG, dual front pneumatic style cushion tires, rear pneumatic steer tires, side shift, fork positioner, 2-stage mast, 6' forks, S/N 28003
112	1	<b>FORKLIFT, NISSAN MDL. OPTIMUM 50, 5,000 LB. CAP.,</b> LPG, 5,513 H.O.M., pneumatic tires, side shift, 3-stage mast, 6' forks, S/N PJ02-9H6882 (Note: Delayed removal until 02/02/23 or possibly sooner. Contact lead person in advance to confirm that the forklift is ready for removal)
113	1	<b>FORKLIFT, NISSAN MDL. PH02A25, 4,000 LB. CAP.,</b> LPG, pneumatic style cushion tires, 2-stage mast (only about 75" lowered), 4' forks, 4,365 H.O.M., S/N PH02-005238
113A	1	<b>LOT OF FORKLIFT PROPANE BOTTLES (6)</b>
114	1	<b>LOT OF WINDOW AC UNITS (APPROX. 5)</b>
115	1	<b>REFRIGERATOR, WHIRLPOOL MDL. ED5VHEXVB01,</b> new 2009
116	1	<b>REFRIGERATOR, ADMIRAL MDL. HMG64163,</b> 23,5 cu. Ft.
117	1	<b>LOT CONTENTS OF OFFICE:</b> desk, credenza, file cabinets, storage cabinet, w/ contents (Note: computer equipment not included)
117A	1	<b>LOT OF COMPUTER EQUIPMENT, (2) CPU'S, (2) MONITORS, (2) PRINTERS AND A FAX MACHINE</b>
118	1	<b>LOT OF TARPS (APPROX. 9),</b> approx. 15' x 20'
119	1	<b>LOT CONSISTING OF:</b> foot pedals, plugs, control boards, circuit boards & more, misc. items
120	1	<b>LOT CONSISTING OF:</b> (4) yard edgers & (1) Husqvarna chain saw, gas pwr., 16"
121	1	<b>ICE MAKER, HOSHIZAKI MDL. AM-50BAE,</b> 120 v., S/N S08699B
122	1	<b>COPIER, KONICA MINOLTA, MDL. BIZHUB 751</b>
123	1	<b>LOT OF BRASS GEARS, APPROX. (12) 6 1/2" TO 13" DIA</b>
124	1	<b>LOT OF METAL SAW HORSES, APPROX. (11), 36" TO 48" WIDE X 25" TALL</b>
125	1	<b>UTILITY TRAILER SET UP FOR FISHING, 48" WIDEX 72" LONG</b>
126	1	<b>LOT CONSISTING OF (1) PRESSURE WASHER, (1) GENERATOR, HONDA 3500, (1) AIR COMPRESSOR</b>