

ARMSTRONG FLOORING CATALOG
DAY ONE

LOT	QTY	DESCRIPTION
1	1	CHAIN SAW, REMINGTON MDL. RM1635W, 16" , w/ extra chain, still in package
2	1	CHAIN SAW, WORX MDL WG303.1, 16" , w/ extra chain, still in package
3	1	TRIMMER, STIHL MDL. FS111 , gas pwrd., shoulder mount
4	1	BACK PACK BLOWER, STIHL MDL. BR200 , gas pwrd., 150 MPH air velocity, 12.6 lb.weight
5	1	BACK PACK VACUUM CLEANER, MILWAUKEE MDL. 0885-20M18FUEL 3 IN 1 , battery pwrd.
6	1	SCROLL SAW, SKIL MDL. 3335 , 16" cut depth, dual bevel/ sliding miter saw, vertical, table top, electric, w/ light
7	1	LOT CONSISTING OF: Evolution Industrial Mdl. EVOSAW-380, steel cutting chop saw, 15' & Drill Master 6" cut off saw, 7/8", arbor, 5,000 RPM
8	1	PORTABLE AIR COMPRESSOR, KOBALT QUIET TECH , oil free, 4.3 gal. single stage, corded, electric twin stack
9	1	COMBINATION SANDER, JET MDL. J-41002 , 2" x 42" belt & 8" disc, 3/4 HP, w/ pedestal stand
10	1	COMBINATION SANDER, DELTA INDUSTRIAL MDL. 31-300 , approx. 6" belt x 44" & 12" disk, w/ stand, 1-1/2 HP, 120/ 240 v.
11	1	PEDESTAL GRINDER, BALDOR MDL. 1021W , 10", 3-phase, 1-1/2 HP, 208 - 230/ 480 v.
12	1	PEDESTAL GRINDER, BALDOR , 6", 120 v., 1/3 HP, 3600 RPM. w/ extra grinding wheels, a wheel dresser & clamp on light
13	1	ENGINE LATHE, SUMMIT 18" X 80" , taper attach., steadyrest, quick change toolpost w/holders
14	1	ENGINE LATHE, CLAUSING COLCHESTER 15" X 50" , Newall D.R.O., taper attach., steadyrest, rotating turret stop, follow rest, collect chuck, 3-jaw, 4-jaw & 6-jaw chucks, assorted collets
15	1	VERTICAL TURRET MILL, SUMMIT MDL. EVS-550B , new 2018, 11 x 52" table, hardened & ground ways, electronic variable spd. head from 55-3650 RPM, pwr. drawbar, pendant control, long. pwr. feed, S/N 9668
16	1	VERTICAL MILLING MACHINE, SUMMIT MDL. VS-244 , w/ variable speed & 9" x 42" T-slot tbl., S/N 6480
17	1	DRILL PRESS, ENCO MDL. 03337151 , new 2019, S/N 93A0075
17A	1	LASER FLOOR DRILL, DELTA MDL. 17-959L , new 2009, 17"
18	1	DRILL PRESS, BARNES DRILL CO. , power feed spindle, 48" under chuck, w/ vise
19	1	H-FRAME PRESS, REDLINE, 150 T. CAP. , new 2020, 13-3/4" stroke, 39-3/8" betw. Uprights, 34-1/2" max. ram to bed, adj. bed, integrated hyd. System, S/N N.A.
20	1	IRONWORKER, SCOTCHMAN 40 T. CAP. MDL. 4014C , angle cutting attach., roller infeed conveyor, bar shear, assorted punches & dies, S/N 4426M990
21	1	HORIZONTAL BANDSAW, JET , 12", w/ roller infeed conveyor
21A	1	VERTICAL BANDSAW, JET MDL. VBS1408 , 14" throat depth, blade welder & grinder, 110 v., S/N 2051558
22	1	MAGNETIC BASE DRILL, MILWAUKEE MDL. 4302 , 11"L x 15" ht.
22A	1	MAGNETIC BASE DRILL, MILWAUKEE MDL. 4203 , 11"L. X 17-1/4" ht.
23	1	ARBOR PRESS, GREENERD NO. 3A , deep throat, S/N N.A.
24	1	PIPE THREADER, RIDGID NO. 535 , w/ 1/4" - 2" bolt threading head & 1/8" - 2" pipe threading head, (1) 2-8 reamer & (1) 341 reamer, pipe cut-off, S/N 405086
25	1	PIPE THREADER, RIDGID 700 , w/ (3) Ridgid dies - 3/8", 1/2", 3/4" & (1) Ridgid Mdl. No. 40-A pipe support tri-stand, w/ vise clamp
26	1	DIE HANDLE, RIDGID 12-R , w/ (5) die heads , (2) 2", (1) 1-1/2", (1) 1-1/4" & (1) 1"
27	1	NIPPLE CHUCK KIT, RIDGID 819
28	1	IMC & RIDGID CONDUIT ELECTRIC BENDER, GREENLEE NO. 555 , 500 miles, Part No. 5000571 5
28A	1	PRESSURE WASHER, HOTSY MDL. 560SS , 1500 PSI, GPM 2.1, 115 v AC, uses #1-#2 fuel oil, max. temp. 225F, S/N 11090340-160285

ARMSTRONG FLOORING CATALOG
DAY ONE

LOT	QTY	DESCRIPTION
29	1	PORTABLE WELDING SYSTEM, MILLER TRAILBLAZER 302 , LPG pwrd., generator, fabricated stand w/bottle rack & lead reels, S/N LE382978 (Bottle not included)
30	1	INTEGRATED MIG WELDER, MILLER MILLERMATIC 252 , S/N LK020888B
31	1	INTEGRATED MIG WELDER, MILLER MILLERMATIC 250 , S/N KK103742 (Bottle not included)
32	1	TIG WELDER, MILLER ECONOTIG , 130 amps, 25 v.. TIG torch, foot pedal control, S/N KG155035N.
32A	1	PORTABLE TIG WELDER, MILLER DYNASTY 200 , w/ leads & cart, S/N LG190392L
33	1	ARC WELDER, LINCOLN IDEALARC 250 , S/N N.A.
34	1	PLASMA CUTTER, HYPER THERM POWERMAX 125 , new 2019, S/N 125-010463
35	1	PLASMA CUTTER, HOBART AIR FORCE 250CI , built in air-conditioner
36	1	STICK WELDER, LINCOLN ELECTRIC, INVERTEC V160-S , S/N 12020702091
37	1	THIS LINE TO BE SOLD PIECEMEAL AND THEN OFFERED IN BULK, LOTS 38 - 55: ROTOGRAVURE PRINTING LINE, KOCHSIEK (BOBST) 8-COLOR 170" WIDE WEB
38	1	25-ROLLSAW-TOOTH TYPE STORAGE STAND , approx. 16'W. x 51'L. x 6'ht., w/ attached walkway, steel construction
39	1	LOT OF PAY-OFF MANDRELS (APPROX. 49) , in roll storage stand, approx. 12" dia. X 14'L
41	1	SPREADER BAR , 7.5 T. cap., modified w/ hooks
42	1	DUAL ROLL UNWINDER, KOCHSIEK, 180" X 15,000 LB. CAP. , w/ pneumatic tension brakes & 180"W splicing table, S/N N.A.
43	1	PULL ROLL STAND, KOCHSIEK , w/ 20 HP motor (#1), S/N. N.A.
44	1	42-PASS UNWIND ACCUMULATOR, KOCHSIEK , w/ 250 linear yard cap., web guide roll stand, (3) front & rear mounted 10 HP roll stands, S/N N.A.
45	1	ROLL STORAGE AREA, MFG. UNKNOWN , w/ (27) pairs of tree type roll packing, 18-roll cap., 480 max roll storage cap., w/ approx. (350) 48" dia. printing rolls
46	1	PULL ROLL STAND, KOCHSIEK , w/ 20 HP motor (#2)
47	1	PULL ROLL STAND, KOCHSIEK , w/ 20 HP motor (#3), S/N. N.A.
48	1	LOT OF SHAFT DRIVEN WEB FED ROTOGRAVURE PRINTING UNITS (8) , KOCHSIEK, w/ compensator registration, 200 HP drive, top mounted steam heated arch dryers
49	1	PULL ROLL STAND, KOCHSIEK , w/ 20 HP motor (#4), S/N. N.A.
50	1	PULL ROLL STAND, KOCHSIEK , w/ 20 HP motor (#5), S/N N.A.
51	1	34-PASS REWIND ACCUMULATOR, KOCHSIEK , 200 linear yard cap., 30 HP drive, w/ guide table, 20 HP rear mounted pulling stand, S/N N.A.
52	1	PULL ROLL STAND, KOCHSIEK , w/ 20 HP motor (#6), S/N N.A.
53	1	DUAL TURRET ROLL REWINDER, KOCHSIEK, 52" DIA. X 15,000 LB. CAP. , w/ dual 60 HP drives, 180" max roll width, S/N N.A.
55	1	ALL ASSOCIATED PLC & PC LINE CONTROLS
55A	1	BULK OFFERING CONTAINING LOT 38 - 55
55B	1	OVERHEAD BRIDGE CRANE, PHILADELPHIA TRAMRAIL 7-1/2 T. CAP. , approx. 23'W. x 99'L., fabricated steel supt.
55C	1	OVERHEAD BRIDGE CRANE, PHILADELPHIA TRAMRAIL 7-1/2 T. X 25' SPAN , 64' runway travel, free standing on (2) sides & bldg. mtd. on (1) side, radio controlled, aux. pendant, 3-way pwr. motion, center drive, dbl. girder, top running, APPL. No. 008
56	1	SINGLE CART TOWVEYOR SYSTEM , w/ single cart, 50" of inground mounted chain, cart is approx. 47.5"W. x 203"L.
57	1	LOT OF SWIVEL ROLL STORAGE SAWHORSES (2) , approx. 69.5"L. x 8"W x 41.5"ht. at the tallest point
58	1	10-ROLL SAW-TOOTH TYPE ROLL STORAGE STAND WITH THE STEEL WALKWAY ON LEGS , approx. 310"L. x 26.5"W. x 67"ht. at the tallest point

ARMSTRONG FLOORING CATALOG
DAY ONE

LOT	QTY	DESCRIPTION
59	1	THIS LINE TO BE SOLD PIECE MEAL AND THEN OFFERED IN BULK, LOTS 59A - 59O, GEL COATING LINE, OLBRICH 169"W
59A	1	Olbrich 169"W. x 15,000-lb, Dual Unwind stand, S/N N.A., with 175" x 12 Splicing Table
59B	1	Olbrich 26-Pass Accumulation Stand, S/N N.A., with 110 Linear Yard Capacity, 20 HP Drive, with Guider Table, Front and Rear Mounted 5-HP Pulling Stands
59C	1	Honeywell Model Measurex 2084, Base Weigh Scanner, S/N N.A.
59D	1	240-kw Infrared Pass Thru Heating Stand, S/N N.A.
59E	1	Olbrich Reversible Coating Stand, S/N N.A., with 24" Dia., 20-HP Applicator Roll, 20" Dia. 10-HP Back Up Roll
59F	1	Delivery System, with 2,000 lb. Stainless Steel, 1,000-lb. S.S. Tank, Receiving Hopper, 200-lb. Capacity S.S. Additive Tank, 800-lb S.S. Bulk Tank, 150-HP S.S. Mixer, 2' dia. Vibratory Separator, 3,000-lb Open Top S.S. Tub, All Associated Pneumatic Conveying
59G	1	Manufacturer Unknown Gas Fired Single Hot Oil System, S/N N.A., with Single Burner, 300-Gallon Closed Loop Style and All Associated Pumps and Piping
59H	1	Olbrich Hot Oil Drumming Stand, with 84" dia. Hot Oil Drum, Chrome Over Steel Construction, 180" Max. Width, 10-HP Drive
59I	1	Olbrich Cooling Stand, with (6) 24" Dia. Chilled Water Cooling Rolls, 20-HP Drive
59J	1	Futec Model Max Eyef, Defect Detection System, S/N N.A., with 100 Lab Spectroprobe Scanner
59K	1	Honeywell Model Measurex 2084, Traveling Head Coat Weight Scanner, S/N N.A.
59L	1	Olbrich 26-Pass Accumulation Stand, S/N N.A., 110 Linear Yard Capacity, 20-HP Drive, with Guider Table, 10-HP Rear Mounted Pulling Stand
59M	1	Olbrich 52" Dia. X 15,000 Dual Turret Rewinder, S/N N.A. with Dual 30-HP Drive
59N	1	All Associated PLC & PC Line Controls
59O	1	P&H 15,000-lb. Monorail Crane System, S/N N.A., with Radio Control
59P	1	BULK LOT ON OLBRICH GEL COATING LINE, LOTS 59A - 59O
60	1	SPREADER BAR, 7.5 T. cap., modified w/ hooks
61	1	ULTRASONIC WASHER SYSTEM, W/ RENEWABLE WATER TREATMENT SYSTEM, DAETWYLER, new 11/2005, tanks are approx. 180"L. x 30"W. x 20"dp., 460 v. 3-phase, w/ Crest Ultrasonics Genesis Patient No. 4,864,547, S/N 2005-02
61A	1	THIS LINE TO BE SOLD PIECEMEAL AND THEN OFFERED IN BULK, LOTS 62 - 102: COATING AND INFUSION LINE, OLBRICH 8' TO 14'
62	1	UNDERHUNG BRIDGE CRANE, P&H, 7.5 TO. CAP., radio controlled (Appl. No. 009) w/ framework
63	1	SPREADER BAR, 7.5 T. cap., modified w/ hooks
64	1	DUAL UNWIND STAND, OLBRICH, 14"W. X 15,000 LB. CAP., 170" x 12' splicing table, S/N N.A.
65	1	26-PASS ACCUMULATOR STAND, OLBRICH, 110 linear feet, w/ linear yard cap., w/ guide table, front & rear mounted 5 HP pulling rolls, S/N N.A.
66	1	BETA SCANNER, THERMO SCIENTIFIC, S/N N.A.
67	1	REVERSE ROLL COATING STAND, OLBRICH, new 2006, w/ 24" dia. 20 HP applicator roll, 20" dia. 10 HP back up roll, S/N N.A.
68	1	HOT OIL DRUM STAND, OLBRICH, w/ 84" dia. hot oil drum, chrome over steel construction, 180" max width, 10 HP drive, w/ 10 T. cap. chain hoist
69	1	4-ROLL COOLING STAND, OLBRICH, w/ 24" dia. chilled water rolls, 20 HP drive
70	1	TRAVELING HEAD BETA SCANNER, THERMO SCIENTIFIC, S/N N.A.
71	1	90-WEB TURN BAR, OLBRICH, w/ 5 HP rear mount pulling roll, guider table, S/N N.A.
72	1	CRANE, HARRINGTON, 2-1/2 T. CAP., APPL. No. 23
73	1	SPREADER BAR, 2.5 T. cap.,

ARMSTRONG FLOORING CATALOG
DAY ONE

LOT	QTY	DESCRIPTION
74	1	POLYURETHANE COATING STAND, OLBRICH , new 2006, w/ 18" dia. chrome plated meter roll, 18" dia. chrome plated applicator roll, 18" dia. rubber coated back up roll
75	1	TRAVELING HEAD BETA SCANNER, THERMO SCIENTIFIC , S/N N.A.
76	1	STAINLESS STEEL TANK, APPROX. 69" X 8'
77	1	VACUUM SYSTEM, BUSCH
78	1	RUSSELL FINEX SIV SIEVE, MDL. 16350, FOR SCREENING MATERIAL , 304 stainless steel, 20" dia. single deck, effective screen area 2.23 sq. ft., clamp down demountable Sieve assembly, driven by a 2 HP, 3/60/208-230/460 v., 1730 RPM XP motor
79	1	RUSSELL FINEX SIV SIEVE, MDL. 16350, FOR SCREENING MATERIAL , 304 stainless steel, 20" dia. single deck, effective screen area 2.23 sq. ft., clamp down demountable Sieve assembly, driven by a 2 HP, 3/60/208-230/460 v., 1730 RPM XP motor
80	1	RUSSELL FINEX SIV SIEVE, MDL. 16350, FOR SCREENING MATERIAL , 304 stainless steel, 20" dia. single deck, effective screen area 2.23 sq. ft., clamp down demountable Sieve assembly, driven by a 2 HP, 3/60/208-230/460 v., 1730 RPM XP motor
81	1	STAINLESS STEEL MIXER TANK, APPROX. 64" DIA. X 39"HT.
82	1	STAINLESS STEEL TANK, APPROX. 48"DIA. X 48"HT.
83	1	STAINLESS STEEL TANK, OPEN TOP, APPROX, 60" DIA. X 74 HT.
84	1	STAINLESS STEEL TANK, APPROX. 45"DIA. X 55"HT.
85	1	STAINLESS STEEL C & F MIXER , stainless steel tank, approx. 48" dia. x 60" ht., w/motor valves & lines
86	1	STAINLESS STEEL PRIMARY RECEIVER , 2,000 lb. cap., w/ approx. 30" dia. X 30" stainless steel tank & 17" dia. X 29"ht. stainless steel tank
87	1	STAINLESS STEEL TANK, APPROX. 45"DIA. X 60"HT.
88	1	ALL PNEUMATIC CONVEYING LINES, INCLUDING STAINLESS STEEL VALVES, PIPES & PUMPS
89	1	IDLER ROLL SECTION, OLBRICH , 180"W.
90	1	REVERSE ROLL COATING STAND, OLBRICH , w/ 24" dia. 20 HP applicator roll, 20" dia. 10 HP back up roll
91	1	DOYLE CLEANING SYSTEMS, MDL. 10072"WEB , motor is 3-phase induction, 230/460v, 20 HP, S/N 41199
92	1	TRAVELING HEAD BETA SCANNER, THERMO SCIENTIFIC , S/N N.A.
93	1	IDLER ROLL SECTION
94	1	480 DEGREE F-12 ZONE NATURAL GAS FIRED PASS THROUGH OVEN, BRUCKNER , 120'L, 10 HP drive, w/ (2) chilled water cooling drums, each 20" dia., w/ stainless steel belt, approx. 177"W. x 280'L & Bruckner control panels
95	1	CONTROL PANEL (FOR LOTS 90 & 93)
96	1	INFRARED HEATER, 200-KW , custom designed & fabricated, 8'L x 180"W.
97	1	STEEL TO RUBBER EMBOSsing STATION, OLBRICH , w/ (2) 24" dia. embossing rolls, (6) spare rolls, (2) roll storage holders & (2) rolls still in the box
98	1	COOLING DRUM STATION, OLBRICH , w/ (4) 32" dia. chilled water cooling rolls, shared 20 HP drive, w/ idler/ guilder section, Fife, that is on top of walkway, & a smog hog with ducting that is on top of the walkway
99	1	TRAVELING HEAD AIR CALIPER SCANNER, THERMO SCIENTIFIC , S/N N.A.
100	1	INSPECTION SYSTEM, FUTEC , w/ 18"W. x 20'L. manual inspection table
101	1	26-PASS ACCUMULATOR STAND, OLBRICH , 150' linear yard cap., 10 HP rear mounted pulling stand
102	1	SURFACE TYPE ROLL REWINDER, 42"DIA. X 14"W. X 15,000 LB. , w/ (2) 18" dia. rewind drums, core feeding system, roller conveyor exit, motorized belt conveyor, w/ manual load & unload stand
102A	1	BULK LOT ON OLBRICH COATING AND FUSION LINE, LOTS 62 - 102
103	1	CUSTOMIZED CORE WINDER, OLBRICH, 12"W. X 16" DIA. , w/ magazine type core delivery conveyor, exit conveyor, manual adjust slitter, dual 6' roll exit, 12'W x 10' roll delivery conveyor

ARMSTRONG FLOORING CATALOG
DAY ONE

LOT	QTY	DESCRIPTION
104	1	AUTOMATIC HANDLING 12'W. X 18" DIA. KRAFT WRAPPER , new 1998, w/ paper unwind stand, paper slitter, misc. conveyor, w/ 1 T. cap. Yale crane w/ pendent, S/N 98051-170.
105	1	PACK MACHINE, WILDWOOD INDUSTRIES 14' MAX WIDTH , w/ Sullivan unwinder, roll turner, feeder roll, S/N 737MP01
106	1	LABEL PRINTER, ZEBRA MDL. 170XL PRINT HEAD
107	1	AUTOMATIC HANDLING END CAPPER, PNEUMATIC END CAPPER, ASSORTED CONVEYOR
108	1	AUTOMATIC HANDLING OFF LOAD STATION , w/ (2) 18"W. x 10' motorized belt conveyors, all associated conveyors
109	1	PRINT ENGINE, ZEBRA MDL. 170 PAX4
110	1	HOIST SYSTEM, 1,000 LB. CAP. , w/ Probe spreader bar & (1) extra probe
111	1	HOT MELT GLUE SYSTEM, NORDSON SERIES 3500 , 240 v., w/ (1) pallet of Technomelt GA007A, w/ approx. (38) cases, S/N ES05M01373
112	1	ALL ASSOCIATED PLC & PC LINE CONTROLS
113	1	PACKAGING MACHINE, WILDWOOD INDUSTRIES, 14' , w/ rail mounted material handler
114	1	STRAPPING MACHINE (RED), AKEBONO MDL. KS-710 , Samuel 44" x 48" semi automatic arch, analog controls, w/ stand
115	1	SLITTER LINE, 12' TO 6' CONSISTING OF: Pinnacle 12'W. slitter rewinder, w/ feeder table, unwind stand, slitter stand, dual 6' rewinders, S/N 010991
116	1	ROLL WRAPPING & PACKAGING STATION, OLBRICH , w/ paper feed, up roll stand, wrapping stand & packaging stand
117	1	CARPET & VINYL CUT & ROLL MACHINE, ACCU-CUT MDL. Q9 , new 2017, S/N Q903-20-17
118	1	ROLL MATERIAL CUTTER, ATLANTA ATTACHMENT CO. MDL. 1384A , new 2022, S/N 266124062232 (new, never installed)
118A	1	ROLL MATERIAL CUTTER, WILLI STROHMEYER, MDL. VSA-1 EUROCUTTER , S/N 1865
119	1	MATERIAL INSPECTION TABLE, OLIVER MFG. MDL. VINYL MASTER , 220 v., total HP 3.33, 1-phase, w/ Doyle Super H light unit, S/N 011205
120	1	VINYL SLITTER TABLE, AUTOMATIC HANDING INTERNATIONAL INC, MDL. 10110PNL , 12' roll hander, 480v.
121	1	RIP SAW, MULTISCORE ID #135 , new 2017, (8) blades, 51" total width, w/ power roller conveyor, approx.51"W. x 17"L, adjustable height
122	1	GRANULATOR, A.E.C. , new 2005, 4' x 2' opening, Baldor 200 HP drive motor, noise enclosure, bottom blower feed unit, skid frame mtd..w/ elec. conveyor, 48"W. x 180"L. & ventilation system
123	1	GRANULATOR, NELMOR MDL. RG1634 , 30 HP motor, skid mtd., currently disassembled, S/N 98J02014
124	1	SHREDDER SYSTEM, VECOPLAN TYPE VAZ1300MXL , new 2020, 52" x 58" hopper opening, 3.75 cu. ft. hopper volume, 20" rotor dia., 100 HP drive motor, assorted screens, incline exit belt conveyor to super sack load stand, S/N 16322-01
125	1	SUPER SACK UNLOADING SYSTEM, MATERIAL TRANSFER & STORAGE INC. , weigh hopper, slide gate & flow controller, integrated blower, Harrington 2 T. cap. elec. chain hoist & pwr. trolley, APPL. No. 0028, S/N 6505-AE
126	1	SUPER SACK UNLOADING SYSTEM, BEST MDL. BBU-4000-BA-AU-12-HP , Budgit 2 T. cap. elec. hoist, cone bottom hopper w/rotary blower, 6-pos. load stand area, w/ frame, S/N 021209-13822
127	1	SUPER SACK UNLOADING SYSTEM, BEST MDL. BBU-4000-BA-AU-12-HP , Budgit 2 T. cap. elec. hoist, cone bottom hopper w/rotary blower, 6-pos. load stand area, w/ frame, S/N 020626
128	1	WEIGH SCALE FEEDER, MERRICK INDUSTRIES MDL. 950 , w/ cone bottom surge hopper, super sack unloader, fabricated frame, w/ Winsmith Speed Reducer 935, S/N 23951

ARMSTRONG FLOORING CATALOG
DAY ONE

LOT	QTY	DESCRIPTION
129	1	WEIGH SCALE FEEDER, MERRICK INDUSTRIES MDL. 950 , w/ cone bottom surge hopper, super sack unloader, fabricated frame, w/ 2 T. cap. Hoist, S/N 25017
130	1	WEIGH SCALE FEEDER, MERRICK INDUSTRIES MDL. 950 , w/ cone bottom surge hopper, super sack unloader, fabricated frame, w/ 2 T. cap. Hoist, S/N 27254
131	1	WEIGH SCALE FEEDER, MERRICK INDUSTRIES MDL. 950 , w/ cone bottom surge hopper, super sack unloader, fabricated frame, w/ 2 T. cap. Hoist, S/N 23955
132	1	WEIGH SCALE FEEDER, MERRICK INDUSTRIES MDL. 950 , w/ cone bottom surge hopper, super sack unloader, fabricated frame, w/ 2 T. cap. Hoist, S/N 23954
133	1	WEIGH SCALE FEEDER, MERRICK INDUSTRIES MDL. 950 , w/ cone bottom surge hopper, super sack unloader, fabricated frame,w/ 2 T. cap. Hoist, S/N 23957
134	1	PNEUMATIC MATERIAL TRANSFER SILO, KICE MDL. VR21-4H , new 2014, pneumatic gate valves, Westinghouse blower
135	1	PNEUMATIC MATERIAL TRANSFER SILO, KICE MDL. VR21-4H , new 2014, pneumatic gate valves, Westinghouse blower
136	1	POWDER HOPPER , approx. 5,000 lb. cap., w/ suppt. stand & weigh scale feed & blower
137	1	POWDER HOPPER , approx. 5,000 lb. cap., w/ suppt. stand & weigh scale feed & blower
137A	1	FABRICATED FRAME & PLATFORM , for Powder Hopper
138	1	HYDRAULIC SCISSOR LIFT ROTATING TABLE , w/ motor & hydraulic tank
139	1	HYDRAULIC SCISSOR LIFT ROTATING TABLE , w/ motor & no hydraulic tank
140	1	PLOW MIXER, LITTLEFORD MDL. KM8000 , new 1998, 225 cu. ft. cap., stainless shell, hopper feed with vibratory bin bottom, weigh scale hopper, w/ fabricated frame, S/N 42580-5066
141	1	VIBRATORY CONICAL BIN , w/ Merrick weigh feeder & hopper
142	1	PORTABLE HYDRAULIC BAG MASSAGER , 48" X 48" X 72"
143	1	HYDRAULIC BIN DUMPER , w/cone bottom bin, 48" x 56" x 72"ht. bin platform
144	1	HYDRAULIC BALER, CRAM-A-LOT MDL. DBR-42-LU , new 2002, S/N BD11388-01
145	1	SUPER SACK FILLING SYSTEM, FLEXICON KICE , Kice multi-aspirator zig-zag separator tower, Microprocessor control, Rice Lake weigh hopper, (2) Flexicon Super Sack loading stations w/auto. handling, S/N 48553 (With (1) pipe section on a pallet)
146	1	STAINLESS STEEL CONE BOTTOM BULK POWDER SILO , 10' dia. x 20' ht., w/vibratory bin feeders & gear driven blower
147	1	STAINLESS STEEL CONE BOTTOM BULK POWDER SILO , 10' dia. x 20' ht., w/vibratory bin feeders & gear driven blower
148	1	STAINLESS STEEL CONE BOTTOM BULK POWDER SILO , 10' dia. x 20' ht., w/vibratory bin feeders & gear driven blower
149	1	STAINLESS STEEL CONE BOTTOM BULK POWDER SILO , 10' dia. x 20' ht., w/vibratory bin feeders & gear driven blower
150	1	STAINLESS STEEL CONE BOTTOM BULK POWDER SILO , 10' dia. x 20' ht., w/vibratory bin feeders & gear driven blower
151	1	STAINLESS STEEL CONE BOTTOM BULK POWDER SILO , 10' dia. x 20' ht., w/vibratory bin feeders & gear driven blower
152	1	STAINLESS STEEL CONE BOTTOM BULK POWDER SILO , 10' dia. x 20' ht., w/vibratory bin feeders & gear driven blower
153	1	STAINLESS STEEL CONE BOTTOM BULK POWDER SILO , 10' dia. x 20' ht., w/vibratory bin feeders & gear driven blower
154	1	STAINLESS STEEL CONE BOTTOM BULK POWDER SILO , 10' dia. x 20' ht., w/vibratory bin feeders & gear driven blower
155	1	STAINLESS STEEL CONE BOTTOM BULK POWDER SILO , 10' dia. x 20' ht., w/vibratory bin feeders & gear driven blower

ARMSTRONG FLOORING CATALOG
DAY ONE

LOT	QTY	DESCRIPTION
156	1	STAINLESS STEEL CONE BOTTOM BULK POWDER SILO , 10' dia. x 20' ht., w/vibratory bin feeders & gear driven blower
157	1	STAINLESS STEEL CONE BOTTOM BULK POWDER SILO , 10' dia. x 20' ht., w/vibratory bin feeders & gear driven blower
158	1	STAINLESS STEEL CONE BOTTOM BULK POWDER SILO , 10' dia. x 20' ht., w/vibratory bin feeders & gear driven blower
159	1	CARBON STEEL STORAGE SILO , 9' dia. x 12' ht.
160	1	CARBON STEEL STORAGE SILO , 9' dia. x 12' ht.
161	1	CARBON STEEL STORAGE SILO , 9' dia. x 12' ht.
162	1	CARBON STEEL STORAGE SILO , 9' dia. x 12' ht.
163	1	CARBON STEEL STORAGE SILO , 9' dia. x 12' ht.
164	1	CARBON STEEL STORAGE SILO , 11' dia. x approx. 18'ht.
165	1	CARBON STEEL STORAGE SILO , 11' 8" dia. x 16' ht.cone bottom
166	1	CARBON STEEL STORAGE SILO , 11' dia. x approx. 15'ht.
167	1	STAINLESS STEEL STORAGE SILO , 60"dia. x approx. 11'ht
168	1	STAINLESS STEEL STORAGE SILO , 60" dia. x approx. 80'ht
169	1	STAINLESS STEEL STORAGE SILO , 60" dia. x approx. 60'ht
170	1	STAINLESS STEEL STORAGE SILO , 60" dia. x approx. 60'ht
171	1	STAINLESS STEEL STORAGE SILO , 36" dia. x approx. 60'ht
172	1	STAINLESS STEEL STORAGE SILO , 36" dia. x approx. 60'ht
173	1	STAINLESS STEEL STORAGE SILO , 36" dia. x approx. 60'ht
174	1	STAINLESS STEEL TRANSFER TANK , 48" dia. x 72"ht., w/ cone bottom & pump
175	1	STAINLESS STEEL TRANSFER TANK , 48" dia. x 72"ht., w/ cone bottom & pump
176	1	STAINLESS STEEL SCALE TANK , 48" dia. x approx. 9'ht., w/ cone bottom
177	1	STAINLESS STEEL SCALE TANK , 48" dia. x approx. 9'ht., w/ cone bottom
178	1	LOT OF STAINLESS STEEL STORAGE TANKS (3): (1) 4' dia. x 5'ht., (2) 4'dia. x 9'ht., all w/ cone bottoms, scales & pumps
179	1	STAINLESS STEEL SPARE TANK , 4' dia. x approx. 6'ht.
180	1	DRYING OVEN, LEWCO HEAT PRO MDL. HPSC21-D01-899-P02 , 55 x 108 x 72 ht., 2-door, S/N 991821
181	1	UNIVERSAL RAI BLOWER, ROOTS , 40 HP motor
182	1	UNIVERSAL RAI BLOWER, ROOTS , 40 HP motor
183	1	UNIVERSAL RAI BLOWER, ROOTS , 40 HP motor
184	1	UNIVERSAL RAI BLOWER, ROOTS , 40 HP motor
184A	1	UNIVERSAL RAI BLOWER, ROOTS , 40 HP motor
184B	1	UNIVERSAL RAI BLOWER, ROOTS , 40 HP motor
185	1	UNIVERSAL RAI BLOWER, ROOTS , 30 HP motor
186	1	UNIVERSAL RAI BLOWER, ROOTS , 20 HP motor
187	1	UNIVERSAL RAI BLOWER, ROOTS , 20 HP motor
188	1	UNIVERSAL RAI BLOWER, ROOTS , 15 HP motor
189	1	UNIVERSAL RAI BLOWER, ROOTS , 5 HP motor
190	1	UNIVERSAL RAI BLOWER, ROOTS , 5 HP motor
191	1	CABINET OVEN, GRIEVE MDL. 343 , 6.6 KW, 400 deg. max. temp., stainless steel lined, interior dimensions 36" W. x 48" dp. X 36" ht., stainless steel shelves inside, S/N 119656A0417
192	1	LABORATORY OVEN, HOT PACK SUPERMATEC MDL. N.A. , 600 deg. F. max. temp., interior dimensions: 20" x 20" x 20", S/N N.A.
192A	1	LABORATORY OVEN, HOT PACK SUPERMATEC MDL. N.A. , 600 deg. F. max. temp., interior dimensions: 20" x 20" x 20", S/N N.A.
193	1	LABORATORY OVEN, HOT PACK SUPERMATEC MDL. 213022 , 600 deg. F. max. temp., interior dimensions: 20" x 20" x 20", S/N 69302
194	1	CONVEYORIZED OVEN, LAB COATER & DRYER, WERNER MATHIS MDL. LTF113587
194A	1	CONVEYORIZED OVEN, LAB COATER & DRYER, WERNER MATHIS MDL. LTF142391
195	1	VINYL INSPECTION MACHINE , w/CCD camera, w/ grid replacement glass in a

ARMSTRONG FLOORING CATALOG
DAY ONE

LOT	QTY	DESCRIPTION
196	1	INSPECTION MACHINE, MEIJI CCTV , w/screens, readouts & table,32"dp. X 72"L. x 44" ht.
197	1	ALUMINUM INSPECTION TABLE , w/ (5) Mitutoyo dial indicators, for checking length & width of vinyl strips
198	1	DIGITAL POWER QUALITY ANALYZER, FLUKE MDL. 435 , 3-phase
199	1	DIGITAL POWER QUALITY ANALYZER, FLUKE MDL. 43
200	1	SHAFT ALIGNMENT SYSTEM, EASY LASER, XT770, PART NO. 12-0961
201	1	LASER ROLL ALIGNMENT SYSTEM (GREEN), ROLLCHECK MDL. SX-5150R , S/N 80793
202	1	BRUNSON PRECISION SIGHT LEVEL, BRUNSON JIB TRANSIT MDL. 76-RH , w/ calibration certificates, w/ Tripod Mdl. 230, S/N 907920
203	1	BRUNSON PRECISION SIGHT LEVEL, BRUNSON JIB TRANSIT MDL. 76-RH , w/ calibration certificates, w/ Tripod Mdl. 230, S/N 907920
204	1	PRECISION SIGHT LEVEL, BRUNSON MDL. 545-1 , S/N 91481
205	1	ACOUSTIC IMAGING CAMERA, SDT SONAVU PRO KIT, ULTRASOUND SOLUTIONS , (using its 112 ultrasound sensors & optical camera, it can detect sources of airborne ultrasound and transmit them into a visual image on its touch screen)
206	1	THERMAL IMAGING CAMERA, FLIR E85
207	1	INFRARED CAMERA, FLIR THERMACAM EX320
207A	1	MICROSCOPE, OLYMOUS BX51M WITH 3 LENS TURRET , w/ Olympus American Inc. camera-color 3 & Olympus U-TVO 5XC-3 adapter, w/ Dell computer & monitor
208	1	TEMPERATURE-HUMIDITY CHAMBER, HOTPACK, MULTI-MODE CONTROL SYSTEM MDL. 434304 , 24"W. x 18"dp. X 17" ht internal dimensions
209	1	SPHERE BENCH TOP SPECTROPHOTOMETER, CI 7800 , w/ computer setup
210	1	SPHERE BENCH TOP SPECTROPHOTOMETER, CI 7800 , w/ computer setup
211	1	PLC MIXING & DISPENSING SYSTEM, NOVAFLOW MDL. NT50-20B-4T-800 , new 2007, 24 station, with diaphragm pumps, S/N 1273
212	1	DRUM WASHER, DW RENZMANN MDL. HDB-48-7-5 , new 1988, 55 gal., w/750 lb. cap. dumper, S/N 11480
213	1	DRUM DUMPER: for 55 gal. drums
214	1	LOT OF (2) STAINLESS STEEL STORAGE TANKS CONTAINING ALCOHOL , 48" dia. X 60" ht., w/stainless steel fittings, pipes, control valves, (2) Meter Registers
215	1	LOT OF (2) STAINLESS STEEL STORAGE TANKS , 48" dia. x 60"ht., w/ stainless steel fittings, pipes, control valves
216	1	SOLVENT STILL, DW RENZMANN , new 1988, w/ fume exhaust hood, S/N 608
217	1	LOT OF (2) 304 STAINLESS STEEL STORAGE TANKS , 55 gal., 24" dia. X 36" ht., w/ pipes, connectors, gauges & controls
218	1	STAINLESS STEEL STORAGE TANK , approx. 3' dia. X 4' ht., w/all pipes, gauges & stainless steel fittings, approx.. 14' off ground
219	1	FIRE SUPPRESSION SYSTEM, HALON , (16) spherical storage tanks & control system.
220	1	INERT GAS FIRE SUPPRESSION SYSTEM, PROINERT , new 2021, IG-541 (5N2-4Ar-1CO2) gas, (101) gas bottles, 300 bar bottle pressure (Note: must be removed by a professional)
221	1	OVERHEAD CRANE, CHESTER MDL. WDMT3001S, 5 T.CAP. , double wrench hoists w/ hooks & pendent, 23' under hoists, length of travel approx. 110' of rail, approx. 17' span, APPL No. 0012
222	1	OVERHEAD CRANE, ACCO-WRIGHT, 7.5 T. CAP. , w/ wireless remote, 18' under hoist, approx. 2' rail beam, approx. 139' of rail, APPL. No. 005
223	1	OVERHEAD CRANE, BRIDGE CRANE SPECIALISTS, 5 T. CAP. , w/ wireless remote, 17' under hoist, approx. 147' of rail

ARMSTRONG FLOORING CATALOG
DAY ONE

LOT	QTY	DESCRIPTION
224	1	LOT OF OVERHEAD CRANES (2), KONE CRANES , work independently or together, (3) I-beams are included, each one is a 3 T. cap. Unit, APPL. No. 04
225	1	ELECTRO LIFT , w/ (2) 3 T. cap. Hoists, yellow I-beam plus framework included
226	1	LOT OF VIBRATION & TEMPERATURE SENSORS: (64) Banner DX80N9Q45U, (64) Banner QM42VT1, (4) Banner DX80900MHZ Surecross DX80 wireless gateways, w/ (2) controller boxes
227	1	OVERHEAD FAN, MACRO AIR TECHNOLOGIES MDL. EM30-0022T3J1 , approx. 24' dia., (Mounted to roof, will need to be taken down)
228	1	OVERHEAD FAN, EURA DRIVES ELEC. CO. MDL. 3M-022T3J1 , approx. 20' fan, approx. 25.5' off ground, (Mounted to roof, will need to be taken down)
229	1	FAN, MACRO AIR TECHNOLOGIES , approx. 20' fan, approx. 23' off ground, (Mounted to roof, will need to be taken down)
230	1	SHRINK WRAP MACHINE, PREDITOR SS , 60" dia.
231	1	SHRINK WRAP MACHINE, PREDITOR SS , 60" dia. (Note: delayed removal)
232	1	SHRINK WRAP MACHINE, T-WRAPPER T0949 , 48" square, w/ control safety mat
233	1	WEIGHT SCALE, G.S.E 350 , 60' sq., Fairbands platform
234	1	PALLET PAL 360 AIR LEVEL LOADER, SOUTHWORTH
235	1	PALLET PAL 360 AIR LEVEL LOADER, SOUTHWORTH
235A	1	PALLET PAL 360 AIR LEVEL LOADER, SOUTHWORTH
236	1	CARRY DECK CRANE, BRODERSON 17,000 LB. CAP. MDL. IC80 , LPG pwr., 4-wheel steer, 3-section telescoping boom w/10' swing-away jib, Messick 10 T. cap. block, built-in outriggers, Kruger load monitor, 2,297 H.O.M., S/N 365778
237	1	SELF-PROPELLED BOOM LIFT, CONDOR MDL. A42J , 500 lb. platform weight cap., Z-boom, battery pwr., 42' platform height, 22'-9" reach, platform rotation, S/N A040002AB
238	1	SELF-PROPELLED SCISSOR LIFT, SKYJACK MDL. SJ33226 , new 2019, 500 lb. platform cap., 26' drive height., battery pwr., S/N 27042354
239	1	SELF-PROPELLED SCISSOR LIFT, JLG MDL. 2032E2 , battery pwr., 29" deck width x 86" deck length, w/ 700 lb. lift cap., 26' working height
240	1	TUGGER, TAYLOR DUNN TIGER MDL. TC-30C , new 11/2018, LPG pwr., 3,000 lb. normal drawbar pull, S/N 311311 (bottle not included)
241	1	TUGGER, TAYLOR DUNN TIGER MDL. TC-30C , new 11/2018, LPG pwr., 3,000 lb. normal drawbar pull, S/N 311312 (bottle not included)
242	1	TUGGER, (3) TAYLOR DUNN TIGER MDL. TC-30C , new 11/2018, LPG pwr., 3,000 lb. normal drawbar pull, S/N 311310 (bottle not included)
243	1	TUGGER, CLARK MDL. CT-30 , LPG pwr., 3,000 lb. towbar cap., S/N CT-322-6560CB (bottle not included)
244	1	TUGGER, CLARK MDL. CT-30 , LPG pwr., 3,000 lb. towbar cap., S/N CT-237-6560CB (out of service)
245	1	TUGGER, CLARK MDL. CT-30 , LPG pwr., 3,000 lb. towbar cap., S/N CT-236-6560CB (out of service)
246	1	FORKLIFT, CATERPILLAR 15,500 LB. BASE CAP. MDL. G70K , LPG pwr., 15,500 lb. cap. @ 24" L.C., side shift, currently eqpd. w/60" carpet mandrel, S/N AT8900362 (Bottle not included)
247	1	FORKLIFT, TOYOTA 7,000 LB. BASE CAP. MDL. 52-6FGCU35-BCS , LPG pwr., 7,000 lb. cap. @ 24" L.C., 9,248 H.O.M., S/N 61877 (Bottle not included)
248	1	FORKLIFT, YALE 5,500 LB. BASE CAP. MDL. GLC060VXNVSE085 , LPG pwr., 5,500 lb. cap. @ 24" L.C., 165" max. lift, side shift, pwr. forks, load grate, dock lights, solid tires, 2,770 H.O.M., S/N A910V06500D (Bottle not included) (Note: delayed removal)
249	1	ELECTRIC FORKLIFT, TOYOTA 4,600 LB. BASE CAP. MDL. 5FBCU25 , 4,600 lb. cap. @ 24" L.C., 189" max. lift, side shift, 48 v., S/N 64874
251	1	ELECTRIC FORKLIFT, TOYOTA 3,300 LB. BASE CAP. MDL. 30-7FBCU20 , 3,300 lb. cap. @ 24" L.C., 198" max. lift, side shift, 48 v., S/N 60533
251A	1	ELECTRIC FORKLIFT, TOYOTA 3,200 LB. BASE CAP. MDL. 5FBCU15 , 1,200 lb. cap., 48 v., 96" mandrel, solid tires, S/N 60133

ARMSTRONG FLOORING CATALOG
DAY ONE

LOT	QTY	DESCRIPTION
251B	1	ELECTRIC FORKLIFT, TOYOTA 3,000 LB. BASE CAP. MDL. 5FBC15 , 1,100 lb. cap. w/ 109" carpet mandrel, cushion tire, 48 v., S/N 10451
251C	1	ELECTRIC FORKLIFT, TOYOTA 2,800 LB. CAP. MDL. 7FBEU15 , 2,800 lb. cap. @ 24" L.C., 131" lift ht., side shift, load grate, dock lights, solid tires, S/N 12853
252	1	ELECTRIC FORKLIFT, TOYOTA, 4,000 LB. BASE CAP., MDL. 5FBCU20 , new 2000, 4,000 lb. @ 24" L.C. 189" max. lift, side shift, 48 v., S/N 64754 (Note: No forks, out of service)
253	1	ELECTRIC FORKLIFT, TOYOTA 3,200 LB. BASE CAP. MDL. 5FBCU15 , 1,200 lb. cap., 48 v., 78" mandrel, solid tires, S/N 62329 (Note: out of service)
253A	1	FORKLIFT BATTERY, DEKA D SERIES , 30" x 38", 48 v.
253B	1	FORKLIFT BATTERY, DEKA D SERIES , 30" x 38", 48 v., 24 cells
253C	1	FORKLIFT BATTERY, POWERLINE , 30" x 38", 48 v., 24 cells
253D	1	FORKLIFT BATTERY , waterless, 30" x 38", 48 v., 24 cells
253E	1	FORKLIFT BATTERY, POWERLINE , 30" x 38", 48 v., 24 cells
253F	1	FORKLIFT BATTERY, DEKA D SERIES , 30" x 38", 48 v., 24 cells
253G	1	FORKLIFT BATTERY, DEKA D SERIES , 30" x 38", 48 v., 24 cells
253H	1	FORKLIFT BATTERY, DEKA D SERIES , 26" x 35", 48 v., 24 cells
253I	1	FORKLIFT BATTERY, HAWKER , waterless, 30" x 38", 48 v., 24 cells
253J	1	FORKLIFT BATTERY, HAWKER, POWERLINE , 26" x 35", 48 v., 24 cells
253K	1	FORKLIFT BATTERY, HAWKER, POWERLINE , 30" x 38", 48 v., 24 cells, needs repair
253L	1	FORKLIFT BATTERY, DEKA D SERIES , 27" x 38", 48 v., 24 cells, needs repair
253M	1	FORKLIFT BATTERY, HAWKER, ENERGY-PLUS , 27" x 38", 48 v., 24 cells, needs repair
254	1	ELECTRIC PLATFORM TRUCK, RICO 15,000 LB. CAP. MDL. PLR-DD-AR-150 , 36 v., 104"L. x 36"W. lift platform, S/N R14606
255	1	ELECTRIC PLATFORM TRUCK, RICO 15,000 LB. CAP. MDL. PLR-DD-AR-150 , 36 v., 104"L. x 36"W. lift platform, S/N R13374
256	1	ELECTRIC PLATFORM TRUCK, RICO 15,000 LB. CAP. MDL. PLR-DD-AR-150 , 36 v., 104"L. x 36"W. lift platform, S/N R12254
256A	1	ELECTRIC PLATFORM TRUCK, RICO 15,000 LB. CAP. MDL. L-LPAH-R-100 , 36 v., 104"L. x 36"W. lift platform, w/ platform roll carrier, S/N R11832
257	1	ELECTRIC PLATFORM TRUCK, SCHRECK 10,000 LB. CAP. MDL. WHSP-AR , stand-up operation, 102" x 36" lift platform, 24 v., S/N 16052
258	1	ELECTRIC PLATFORM TRUCK, SCHRECK 10,000 LB. CAP. MDL. WHSP-AR , stand-up operation, 102" x 36" lift platform, 24 v., S/N 16497
259	1	ELECTRIC PLATFORM TRUCK, SCHRECK 10,000 LB. CAP. MDL. WHSP-AR , stand-up operation, 102" x 36" lift platform, 24 v., S/N 16053 (out of service)
259A	1	FORKLIFT BATTERY, HAWKEYE , 36 v., 16" x 39"
259B	1	FORKLIFT BATTERY, MARATHON FPX. , 36 v., 16" x 39"
259C	1	FORKLIFT BATTERY, HAWKEYE , 36 v., 16" x 39", needs repair
259D	1	FORKLIFT BATTERY, POWERLINE , 16" x 39", 36 v., needs repair
259E	1	FORKLIFT BATTERY, HAWKEYE , 24 v., 13" x 31"
260	1	FORKLIFT BATTERY WASHER, SACKETT SYSTEMS MDL. B-AWC , 2,171 operating hours, S/N 20013752
261	1	BATTERY CHARGE & STORAGE SYSTEM , including: Sackett Systems Hydra Handler battery handler, (18) stations for 48 v. batteries, (8) Hawker new 2020, (9) Hawker Mdl. PTOM3-48C-180Y Mod 3 Chargers
261A	1	FORKLIFT CLAMP, CASCADE, C88C898 , rotating paper roll clamp, designed to fit a Yale Mdl. GC155VX
261B	1	FORKLIFT FORKS , for Yale Mdl. GC155VX, 6'L.
261C	1	ADJUSTABLE FORKLIFT BOOM, GLOBAL INDUSTRIAL , adjustable pivoting forklift jib boon crane, 86-5/8"L - 146-5/8"L., 4,000 lb. cap.
261D	1	LOT OF FORKLIFT CARPET POLES (2): (1) new 3" dia. x 96"L., (1) used 3" dia. x 96" L.

ARMSTRONG FLOORING CATALOG
DAY ONE

LOT	QTY	DESCRIPTION
261E	1	LOT OF FORKLIFT CARPET POLES (2), (1) 3" dia. x 96" L., (1) 3" dia. x 132" L.
261F	1	LOT OF FORKLIFT CARPET POLES (2), (1) 3" dia. x 96" L., (1) 3" dia. x 120" L.
261G	1	LOT OF FORKLIFT CARPET POLES (2), (1) 3" dia. x 96" L., (1) 4" dia. x 113" L.
262	1	SPOTTING TRUCK, KALMAR OTTAWA MDL. T2, new 2017, diesel engine, 3,683 H.O.M., S/N 346511
263	1	PICKUP TRUCK, 2022 CHEVROLET SILVERADO CUSTOM MDL. 2500HD CREW CAB 4X4, 6' bed, Line-X spray-on bed liner, Odo: 2,244 miles, OK License Plate 10C914, VIN 1GC4YME76NF148567
264	1	PICKUP TRUCK, 1999 CHEVROLET SILVERADO MDL. 1500, 6' bed, bed liner, Odo: 105,000 miles, OK License Plate V75743, VIN 1GCEC14W9XE183297
265	1	VAN, 2002 DODGE, BODY TYPE SV MDL. CAR, Odo: 158,433, OK License Plate: V98705, VIN: 1B4GP45342B589532
266	1	VAN, 1997 DODGE, BODY TYPE SV MDL. GSS, Odo: 112,337 OK License Plate: V01439, VIN: 284GP44R7VR302583
267	1	FLOOR SCRUBBER, TENNANT MDL. 7400, LP pwr., 552 hours, S/N 7400-3568 (Bottle not included)
268	1	HORIZONTAL CARBON STEEL ALCOHOL STORAGE TANK, approx. 19'L x 7' dia., w/ pumps, piping, flow meter assoc., with tank
269	1	HORIZONTAL CARBON STEEL ALCOHOL STORAGE TANK, approx. 19'L x 7' dia., w/ pumps, piping, flow metter assoc, with tank
270	1	DRUM CRUSHER, CIVES MDL. 155DC, new 1983, 240-460 v., 10 HP, 3-phase, S/N 0116
271	1	REGENERATIVE THERMAL OXIDIZER SYSTEM, REECO 55,000-CFM, (Oxidizer #1), new 1988, 800 HP fan drive, 7-burn chambers, natural gas fired, system control, S/N N.A.
272	1	REGENERATIVE THERMAL OXIDIZER SYSTEM, REECO 45,000-CFM, (Oxidizer #2), new 1998, 450 HP fan drive, single chamber, natural gas fired, S/N N.A.
273	1	REGENERATIVE THERMAL OXIDIZER SYSTEM, REECO 30,000-CFM, (Oxidizer #3), new 1988, 350 HP, 5-burn chambers, S/N N.A.
274	1	VERTICAL CARBON STEEL LIMESTONE STORAGE SILO, 750 T. cap., w/ all associated equipment, S/N N.A.
275	1	VERTICAL CARBON STEEL RESIN STORAGE SILO, 55 T. cap., w/ all associated equipment, S/N N.A.
276	1	PULSE-JET DUST COLLECTOR, STACLEAN MDL. 325-10-AS & 169-10-AS 2-CHAMBER, new 1998, 75 HP & 50 HP blowers, screw conveyor cleanout, large selection of spare bags, S/N 18010, S/N 18011
277	1	DUST COLLECTION SYSTEM, SPENCER MDL. 30207B1, 2-compartment, conical bottoms, 30 HP drive, S/N 316548
277A	1	DUST COLLECTOR, FLEX-KLEEN MDL. 21/36PVBL18IIIG, S/N 300637
278	1	POSITIVE DISPLACEMENT BLOWER, HOFFMAN MDL. 12B07-ADG0, new 2020, 25 HP drive motor, skid mtd., S/N P024757
279	1	POSITIVE DISPLACEMENT BLOWER, ROOTS, 25 HP drive motor, skid mtd.
280	1	STEAM HEATED HOT BOX, SAHARA MDL. S8 F ES, 5' dp. X 9'W. x 48"ht., high interior dimensions, S/N J103903
281	1	FIRE PUMP, CLARKE, John Deere 8.1 liter diesel engine, 10" split case pump, check valve, (3) Mueller 10" gate valves, Goulds vert. pump, Firetrol diesel engine fire pump controller, Catalog No. FTA1100-JL12N
281A	1	VERTICAL AIR COMPRESSOR, SPEEDAIRE MDL. 52399B, 80 gal. tank, 460 v., 3-phase, 175 PSI
282	1	VERTICAL AIR COMPRESSOR, WESTWARD MDL. 5F565A, 80 gal. tank, 460 v., 3-phase, S/N L6/23/03-00077

ARMSTRONG FLOORING CATALOG
DAY ONE

LOT	QTY	DESCRIPTION
283	1	BULK FLUID TRANSFER SYSTEM , consisting of: (7) entry points w/pumps, valves & stainless piping
284	1	MOBILE ACCESS UNIT, SAFERACK M3 MAUI, INDUSTRIAL MDL. , on wheels
285	1	RAILGUARD SYSTEM, GARLOC , non-penetrating for loading pits, mezzanines, machine guarding, etc., w/ transport cart
286	1	CONFINED SPACE RESCUE KIT , in a rolling metal tool box
288	1	MOTOR, WESTINGHOUSE, WORLD SERIED INDUCTION MOTOR , 800 HP, 1,157 RPM, S/N 3335-01
290	1	VEHICLE LIFT, GIROLIFT 18,000 LB. CAP. MDL. HT4-18000 , load ramps, S/N 41802001 (Bolted to the floor, must be removed)
291	1	HOT BOTTOM STEAM HEATED EVAPORATOR , new 1999, S/N N.A.
292	1	LOT OF STRAIGHT LINE SKATES (2), HEVI-HAUL MDL. SD-50 , 25 T. cap., 28"L. x 11"W., weight: 140 lbs. each
293	1	LOT OF STRAIGHT LINE SKATES (2), HEVI-HAUL MDL. SD-50 , 25 T. cap., 28"L. x 11"W., weight: 140 lbs. each
294	1	LOT OF STRAIGHT LINE SKATES (2), HEVI-HAUL MDL. SD-50 , 25 T. cap., 28"L. x 11"W., weight: 140 lbs. each
295	1	LOT OF STRAIGHT LINE SKATES (2), HEVI-HAUL MDL. SD-50 , 25 T. cap., 28"L. x 11"W., weight: 140 lbs. each
296	1	LOT OF STRAIGHT LINE SKATES (2), HEVI-HAUL MDL. SD-50 , 25 T. cap., 28"L. x 11"W., weight: 140 lbs. each
297	1	LOT OF ROLLERS (2), HILLMAN MDL. T-10-LD , 10 T. cap., low profile, single diamond top attachment,
298	1	LOT OF ROLLERS (2), HILLMAN MDL. T-10-LD , 10 T. cap., low profile, single diamond top attachment,
299	1	LOT OF ROLLERS (2), HILLMAN MDL. T-10-LD , 10 T. cap., low profile, single diamond top attachment,
300	1	LOT OF ROLLERS (2), HILLMAN MDL. T-10-LD , 10 T. cap., low profile, single diamond top attachment,
301	1	MAN-LIFT GENIE MDL. PLC-24AM , 300 lb. cap., max load 300 lb., platform 24" sq., platform height up to 24'