

BELTWAY INDUSTRIES, LLC CATALOG

5/17/2022 at 2:16 PM

LOT	QTY	DESCRIPTION
1	1	<b>MULTI-PURPOSE PIPE HANDLING CLAMP, VARCO PART #33104, 8" to 9-1/4" capacity, (10) links, (11) grip vises, (2) ladles, latch</b>
2	1	<b>MULTI-PURPOSE PIPE HANDLING CLAMP, VARCO PART #33104, 8" to 9-1/4" capacity, (10) links, (11) grip vises, (2) ladles, latch</b>
3	1	<b>LOT OF MOTORS (2), BALDOR ¾ HP MDL. 35T901P667G1, 230/460 v, 3 ph, 60 Hz, 1750 RPM, frame 56C, Nema Nom. EFF84, Class H</b>
4	1	<b>LOT OF RELAY VALVES (30), BENDIX R-8 MDL. 286370N</b>
5	1	<b>LOT OF GREASE SEALS (96), CLARK, assorted diameters, 0.437 width, 0.062 clearance, 4.125 width o/seals</b>
6	1	<b>LOT OF VALVES (6), NOVATECH PART #NF-6-V1, for pressure pumping systems</b>
7	1	<b>LOT OF VALVE BLOCKS (3), SUN HYDRAULICS MDL. CAD/S</b>
8	1	<b>LOT OF CABLE GLANDS (29), HAWKE INDUSTRIAL TYPE 753, Size B, 1" NPT thread</b>
8A	1	<b>LOT OF CABLE GLANDS (58), HAWKE INDUSTRIAL, Part #501/453/UNIV, entry thread metric size M20, Size O</b>
9	1	<b>LOT CONSISTING OF: (3) Oilgear Mdl. L319990-305 Saeb adapter kits, PVMC PVMC HITEMP &amp; (2) Link-Belt 2-3/16" Mdl. FC3U235H bearings</b>
9A	1	<b>LOT OF TEMPERATURE TRANSMITTERS (3), EMERSON ROSEMOUNT MDL. 79</b>
9B	1	<b>LOT OF CENTRIFUGAL PUMP PARTS (5), NOV MISSON, Plunger part #002-029348-999, 1.63 TC TD WY 3.50 STK</b>
9C	1	<b>LOT OF INLINE FILTERS (12), boxed, no other identifying info.</b>
10	1	<b>LOT OF BATTERY MODULES (8), EATON MDL. ASY-0673, fits Eaton Powerware 9170 UPS System</b>
11	1	<b>LOT OF CASTERS (3), EATON PART #ASY0527, for 9170 power modules</b>
12	1	<b>LOT OF SEALED RECHARGEABLE BATTERIES (6), POWERSONIC MDL. PS-1270 F1 12 VOLT 7.0 AMP HR.</b>
13	1	<b>LOT OF STUD BOLTS (200), 1-7/8" x 15", w/nuts</b>
14	1	<b>LOT CONSISTING OF: (50) stud bolts, 1-7/8" x 15", w/nuts, (24) stud bolts, 1-5/8" x 27", w/nuts &amp; add'l. boxes w/assorted other sizes</b>
15	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460, unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F &amp; G, CW (clockwise) rotation</b>
16	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460, unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F &amp; G, CW (clockwise) rotation</b>
17	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460, unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F &amp; G, CW (clockwise) rotation</b>
18	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460, unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F &amp; G, CW (clockwise) rotation</b>
19	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460, unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F &amp; G, CW (clockwise) rotation</b>

BELTWAY INDUSTRIES, LLC CATALOG

5/17/2022 at 2:16 PM

LOT	QTY	DESCRIPTION
20	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
21	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
22	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
23	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
24	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
25	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
26	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
27	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
28	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
29	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
30	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
31	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
32	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation

BELTWAY INDUSTRIES, LLC CATALOG

5/17/2022 at 2:16 PM

LOT	QTY	DESCRIPTION
33	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
34	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
35	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
36	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
37	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
38	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
39	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
40	1	<b>HEAVY DUTY BLOWER, HUNT AIRDYNE MDL. 79-10CW-36460</b> , unused, 3000 CFM AND 11" S.P.W.G., Powered by GE Mdl. 5KE215CC105AP 10 HP motor @ 60HZ, 230/460 VAC 3 phase, 3510 RPM, explosion proof: Class1 Group D, Class II Group E, F & G, CW (clockwise) rotation
41	1	<b>ONBOARD WASTEWATER TREATMENT PLANT, EVAC NORTH AMERICAN MDL. ORCA IIIA</b> , unused, physiochemical onboard sewage treatment plant designed for use on merchant ships, Navy vessels, yachts, ferries, small cruisers, off-shore platforms and more. 303 kg dry weight, 1705mm x 930mm x 1130mm dimensions, Elec consumption is 1.3 kw. Meets the requirements of MEPC.159(55), S/N RCP12125-SA
42	1	<b>DIESEL FORKLIFT, HYUNDAI 28,660 LB. BASE CAP. MDL. 130D-7E</b> , new 2012, 6 cyl. Turbo charged Cummins diesel engine, 28,660 lb. cap. @ 24" L.C., 157" max. lift ht., fork positioner, side shift, AC, level control, cabin tilting automatic system, AM/FM, dual front pneu. tires, sgl. rear pneu. tires, 169 H.O.M., S/N HHIHFT06VC0000066
43	1	<b>LPG FORKLIFT, HAMECH 10,000 LB. BASE CAP. MDL. G45T-8</b> , new 2008, LPG pwr., 9,220 lb. cap. @ 24 L.C., 110" 2-section mast, 158" lift ht., side shift, tilt 6/6, large pneu. style cushion tires, 4' forks, 511.6 H.O.M.,S/N 135835A (SEE VIDEO ON CATALOG ON BIDSPOTTER)
44	1	<b>LPG FORKLIFT, HAMECH 5,000 LB. BASE CAP. MDL. G25ST-16</b> , new 2008, <u>528.8 Hours on Meter</u> , LPG pwr., 4,800 lb. cap. @ 24" L.C., 85" 3-stage mast, side shift, 188" lift ht., 42" forks, cushion tires, S/N 219793A (Delayed Removal)

BELTWAY INDUSTRIES, LLC CATALOG

5/17/2022 at 2:16 PM

LOT	QTY	DESCRIPTION
45	1	<b>OVERHEAD PNEUMATIC POWERED HOIST, INGERSOLL RAND HERCULINK 44,000 LB. CAP. AIR OPEN HOIST MDL. BHS40MD6-33-66-8R</b> , new 2011 and unused. Hoist: 105 PSI max. pressure, 165 SCFM air flow, 4 chain falls, 2.5 FPM lift speed. Trolley: trolley mount (motorized), 40 FPM travel speed, pendant control, S/N HL017903
46	1	<b>OVERHEAD PNEUMATIC POWERED HOIST, INGERSOLL RAND HERCULINK 44,000 LB. CAP. AIR OPEN HOIST MDL. BHS40MD6-33-66-8R</b> , new 2011 and unused. Hoist: 105 PSI max. pressure, 165 SCFM air flow, 4 chain falls, 2.5 FPM lift speed. Trolley: trolley mount (motorized), 40 FPM travel speed, pendant control, S/N HL017904
47	1	<b>FLATBED TRUCK, 2010 CHEVROLET SILVERADO SERIES 1-TON, 9'L.</b> bed, 6.0L Mdl. LY6 V8 Vortec gasoline engine, A/C, auto. trans., trailer tow package, leather seats, 2-door, manual windows, tubular running boards, headache rack mounted light bar, 1/2 T carrying cap, Odo: 16,094 miles, TX License Plate NHJ8130, VIN 1GB6CZBK1AF135267 (Note: small ding in the
48	1	<b>PICKUP TRUCK, 2011 CHEVROLET SILVERADO 1500 LT EXTENDED CAB</b> , 4.8L L20 8 cyl. gasoline engine, auto. trans., A/C, AM/FM/CD, cloth seats, pwr. windows, pwr. door locks, bed liner, chrome step rail, Odo: 190,441 miles, TX License Plate BC50176, VIN 1GCRCEA8BZ300145
50	1	<b>SEDAN, 2014 FORD FOCUS MDL. SE</b> , 4-door, white, AC, auto. trans., leather seats, Plate FYL8349, Odo: 109,426 miles, VIN# 1FADP3F2XEL103932
51	1	<b>SEDAN, 2013 FORD FOCUS MDL. SE</b> , 4-door, white, AC, auto. trans., leather seats, Plate FWG9165, Odo: 86,529 miles, VIN# 1FADP3F29DL323691
52	1	<b>SEDAN, 2013 FORD FOCUS MDL. SE</b> , 4-door, white, AC, auto. trans., leather seats, Plate FCS5673, Odo: 81,678 miles, VIN# FADP3F22DL359917
53	1	<b>LOT OF (4) UNUSED GAS TURBINE EXHAUST STACKS DESIGNED TO FIT ROLLS ROYCE MODEL TRENT 60 GAS TURBINES.</b> Includes assorted crates containing various parts and accessories.
54	1	<b>LOT OF (9) 20' L. X 3.5" O.D. COPPER ALLOY TUBES</b> , non ferrous seamless process pipe, copper alloy, 0.216 in. wall thickness, Alloy is ASTM B 111 UNS C68700+S3, ends design threaded, round, service cooling systems. (MTR available)
55	1	<b>LOT OF (6) LARGE CAPACITY DEEP CYCLE BATTERY MODULES</b> , GNB Industrial Power Mdl. Serices Absolyte GP Type 90G07 Non-Spillable Type, 24 cells in each.
56	1	<b>DELL AND LENOVO COMPUTER</b>
56A	1	<b>CYBER POWER AND HP COMPUTER</b>
56B	1	<b>SAMSUNG, H.P., EPSON, BROTHER PRINTERS</b>
56C	1	<b>MISC. COMPUTER COMPONENTS, STANDS, CABLES, HARD DRIVES</b>