

DIAMOND FABRICATION LLC CATALOG

| LOT | QTY | DESCRIPTION   |
|-----|-----|---|
| 1   | 1   | <b>PIPE THREADER, RIDGID MDL. 535</b> , 115 v., 8 amps, sgl. phase, Ridgid No. 318 oiler & dies, S/N 377302             |
| 2   | 1   | <b>PEDESTAL BENCH GRINDER, DAYTON 6" MDL. 2LKR6A</b> , 1/3 HP motor, 3,450 RPM, 120/240 v.                              |
| 3   | 1   | <b>LOT OF BANDING CARTS</b> , w/tools   |
| 3A  | 1   | <b>TRASH PUMP, POWERHORSE, 3", S/N 03170012</b>   |
| 4   | 1   | <b>SHOP FAN</b> , approx. 32" dia.  |
| 5   | 1   | <b>SHOP FAN</b> , approx. 32" dia.  |
| 6   | 1   | <b>SHOP FAN</b> , approx. 32" dia.  |
| 7   | 1   | <b>SHOP FAN</b> , approx. 32" dia.  |
| 8   | 1   | <b>SHOP FAN</b> , approx. 32" dia.  |
| 9   | 1   | <b>SHOP FAN</b> , approx. 32" dia.  |
| 10  | 1   | <b>AIRLINE FILTER</b> , Mdl. 4192 or Mdl. 41P2E   |
| 11  | 1   | <b>AIRLINE FILTER POT</b> , approx. 12" dia. x 45"  |
| 12  | 1   | <b>SANDBLAST POT</b> , approx. 24" dia. x 4'  |
| 13  | 1   | <b>SANDBLAST POT</b> , approx. 24" dia. x 4'  |
| 14  | 1   | <b>SANDBLAST POT</b> , approx. 1' dia. x 2-1/2', w/hose   |
| 15  | 1   | <b>LOT CONSISTING OF:</b> airline filters, sandblast hose, fresh air breathing hood                                     |
| 16  | 1   | <b>DIAPHRAGM PUMP, TEXSTREAM CORP.</b>  |
| 17  | 1   | <b>LOT CONSISTING OF:</b> Siemens electric motor, approx. 40 HP, w/assorted filter media & Quin CIP reciprocating oil   |
| 18  | 1   | <b>LOT CONSISTING OF:</b> hose reel, Boston Gear, boxes speed controller, Toshiba, G9, Leeson, Mdl. C6T17FK77C, 3 phase |
| 19  | 1   | <b>LOT CONSISTING OF:</b> rigging sling & rigging wire sling  |
| 20  | 1   | <b>ROLLING DUMP HOPPER, ROURA MDL. 2T-135</b> , 1/2 cu. yd.   |
| 20A | 1   | <b>ROLLING DUMP HOPPER, ROURA</b> , 1/2 cu. yd.   |
| 21  | 1   | <b>LOT OF STEEL SAWHORSES (4)</b>   |
| 22  | 1   | <b>PIPE BEVELER, H&amp;M MDL. 2C-20</b>   |
| 23  | 1   | <b>HYDRAULIC PIPE BENDER, NORTHERN TOOL &amp; EQUIPMENT 16 T. CAP., H.D.</b>  |
| 24  | 1   | <b>X-RAY FILM LIGHT BOX, S&amp;S X-RAY PRODUCTS</b>   |
| 25  | 1   | <b>LOT OF PNEUMATIC STRAIGHT NOSE GRINDERS (2)</b>  |
| 26  | 1   | <b>LOT OF PNEUMATIC STRAIGHT NOSE GRINDERS (2)</b>  |
| 27  | 1   | <b>LOT OF PNEUMATIC STRAIGHT NOSE GRINDERS (2)</b>  |
| 28  | 1   | <b>LOT OF PNEUMATIC STRAIGHT NOSE GRINDERS (2)</b>  |
| 29  | 1   | <b>PNEUMATIC ANGLE GRINDER</b>  |
| 30  | 1   | <b>PNEUMATIC ANGLE GRINDER</b>  |
| 31  | 1   | <b>PNEUMATIC ANGLE GRINDER</b>  |
| 32  | 1   | <b>PNEUMATIC ANGLE GRINDER</b>  |
| 33  | 1   | <b>PNEUMATIC ANGLE GRINDER</b>  |
| 34  | 1   | <b>PNEUMATIC ANGLE GRINDER</b>  |
| 35  | 1   | <b>PNEUMATIC ANGLE GRINDER</b>  |
| 36  | 1   | <b>LOT OF PNEUMATIC ANGLE GRINDERS</b>  |
| 37  | 1   | <b>LOT CONSISTING OF:</b> pneu. angle grinders & 1/2" impact wrenches   |
| 38  | 1   | <b>PLATE CLAMP</b> , 5 T. cap.  |
| 39  | 1   | <b>PLATE CLAMP</b> , 2 T. cap.  |
| 40  | 1   | <b>LOT OF COMBINATIONS WRENCHES</b> , assorted  |
| 41  | 1   | <b>LOT CONSISTING OF:</b> 36" bolt cutters & 24" wire cutters   |
| 42  | 1   | <b>ALUMINUM PIPE WRENCH, 36"</b>  |
| 43  | 1   | <b>LOT OF PIPE WRENCHES:</b> (1) 36" & (1) 14"  |
| 44  | 1   | <b>LOT OF PIPE STAND ROLLERS (5), SUMMER ADJUST-A-ROLL</b> , 2,000 lb. load limit                                       |
| 45  | 1   | <b>LOT OF OIL DRY MORTAR MIX, ESAB FLUX</b>   |
| 46  | 1   | <b>LOT CONSISTING OF:</b> abrasive media, Eagle wire brushes, BW-740 (in nine boxes)                                    |
| 47  | 1   | <b>LOT CONSISTING OF:</b> abrasive media, Eagle wire brushes, BW-865 (in five boxes)                                    |
| 48  | 1   | <b>LOT CONSISTING OF:</b> conduit body assemblies, conduit body cover, Powermate electrical plug                        |
| 49  | 1   | <b>LOT CONSISTING OF ABRASIVE MEDIA:</b> grinding wheels, wire wheels, fiber disc                                       |

DIAMOND FABRICATION LLC CATALOG

| LOT | QTY | DESCRIPTION   |
|-----|-----|---|
| 50  | 1   | LOT OF AIR HOSE (4), 1/2" dia. (unused)   |
| 51  | 1   | LOT OF AIR HOSE (3), 1/2" dia. (unused)   |
| 52  | 1   | LOT OF AIR HOSE (3), 1/2" dia. (unused)   |
| 53  | 1   | LOT OF WELDING SUPPLIES: MIG gun wire, conduit, roto ground clamps, safety curtains   |
| 54  | 1   | LOT OF INDUSTRIAL MIG GUNS (3), BERNARD MDL. Q4015AE8EM, 400A, Q gun/cable assembly, 15', .045" Miller                                |
| 55  | 1   | LOT OF INDUSTRIAL MIG GUNS (3), BERNARD MDL. Q4015AE8EM, 400A, Q gun/cable assembly, 15', .045" Miller                                |
| 56  | 1   | MIG GUN, PROFAX, 400 amp, 15', wire size .035-.045, Part No. M400-3545-15   |
| 57  | 1   | HEAT GUN, SHRINKFAST MDL. 998UL   |
| 58  | 1   | LOT OF FLAT HOOK RATCHET TIE-DOWN STRAPS (2), ULINE, 4" x 27'   |
| 59  | 1   | LOT OF FLAT HOOK RATCHET TIE-DOWN STRAPS (2), ULINE, 4" x 27'   |
| 60  | 1   | LOT OF FLAT HOOK RATCHET TIE-DOWN STRAPS (2), ULINE, 4" x 27'   |
| 61  | 1   | LOT OF FLAT HOOK RATCHET TIE-DOWN STRAPS (2), ULINE, 4" x 27'   |
| 62  | 1   | LOT OF SAFETY EQUIPMENT: 6' compact retractable, Werner Bantam Mdl. R430006, self-retracting life lines, harnesses, hard hats         |
| 63  | 1   | LOT CONSISTING OF: extension cords, light, fish tape  |
| 64  | 1   | STEEL COMPARTMENT PARTS CABINET, approx. 34" x 24" x 36", (4) compartment boxes, w/assorted screws                                    |
| 65  | 1   | STEEL COMPARTMENT PARTS CABINET, approx. 34" x 24" x 36", (4) compartment boxes, w/assorted cap screws, Tek screws, metric cap screws |
| 66  | 1   | ANVIL, PETER WRIGHT 2-1-12, 264 lb. cap. (est.) weight  |
| 67  | 1   | DOUBLE END BENCH GRINDER, 110/220, H.D.   |
| 68  | 1   | WISE, RIDGID, approx. 5" jaw width  |
| 69  | 1   | ARBOR PRESS   |
| 70  | 1   | SCREW JACK, SIMPLEX 20 T. CAP., 2 x 10 x 14", ductile iron  |
| 71  | 1   | SCREW JACK, SIMPLEX 20 T. CAP., 2 x 10 x 14", ductile iron  |
| 72  | 1   | SCREW JACK, SIMPLEX 20 T. CAP., 2 x 10 x 14", ductile iron  |
| 73  | 1   | INDUSTRIAL CHOP SAW, BLACK & DECKER 14", 120 v., H.D.   |
| 74  | 1   | FINGERBRAKE, ENCO 48" MDL. 130-5051, mfg. 5/1995, S/N 950502  |
| 75  | 1   | LOT OF CLAMP BEAMS: 6" to 10" adj., 75mm to 190mm, & pulley   |
| 75A | 1   | PLATE CLAMP, CROSBY 3 T. CAP.   |
| 75B | 1   | PLATE CLAMP, RENFROE 1 T. CAP. MDL. TLA   |
| 75C | 1   | PLATE CLAMP, CAMPBELL 3 T. CAP., 1/16" to 2" grip   |
| 75D | 1   | BEAD ROLLER, TIN KNOCKER MDL. MANUAL CRIMPER-BEADER, 24 ga. cap.  |
| 75E | 1   | LOT OF LEVER HOISTS: (1) 3 T. cap. & (1) 1-1/2 T. cap.  |
| 75F | 1   | REMOTE VOLTAGE CONTROLLER, PROFAX MHC-3   |
| 75G | 1   | METAL FAB TABLE, approx. 48" x 48" x 1-1/2", 3'-3" ht.  |
| 75H | 1   | LOT CONSISTING OF: 200 PSI welding hose reel & Mdl. 0478034 240 v. electric convection heater   |
| 75I | 1   | ROLLING METAL FAB CART, approx. 3' x 2' x 44" ht.   |
| 76  | 1   | SOCKET SET, WRIGHT TOOL, 3/4" drive   |
| 76A | 1   | DEEP IMPACT SOCKET SET, ADVANCE TOOL DESIGN MDL. ATD-6405   |
| 76B | 1   | DRIVE RATCHET HEAD, PROTO STANLEY 6016C   |
| 76C | 1   | LOT OF COMBINATION WRENCHES, assorted   |
| 76D | 1   | LOT OF UNBREAKABLE SLEDGE HAMMERS   |
| 76E | 1   | LOT CONSISTING OF: oxy./acy. regulators & cutting torches   |
| 77  | 1   | LOT CONSISTING OF: metal rolling platform cart w/pneu. wheels, approx. 30" x 4' platform & rolling cart w/drawers                     |
| 82  | 1   | COMMERCIAL COFFEE BREWER, NEWCO MDL. FC3, 3-burner, 120 v., sgl. phase, (4) coffee pots, mfg. 2019                                    |
| 83  | 1   | STEEL FAB TABLE, approx. 5' x 4' x 1" x 38" ht.   |
| 84  | 1   | STEEL FAB TABLE, approx. 4' x 6' x 3/4" x 38" ht., vise, approx. 8" jaw   |
| 85  | 1   | STEEL FAB TABLE, approx. 5' x 4' x 1-1/2" x 3' ht., W.M. Vanderman No. 3 vise, approx. 6" jaws  |

DIAMOND FABRICATION LLC CATALOG

| LOT  | QTY | DESCRIPTION   |
|------|-----|---|
| 86   | 1   | <b>STEEL FAB TABLE</b> , approx. 3'-2" x 5'-8" x 5/8" x 30" ht.   |
| 87   | 1   | <b>ROLLING STEEL FAB TABLE</b> , approx. 8' x 4' x 1/4" x 36" ht., on casters                                       |
| 88   | 1   | <b>FOREMAN'S DESK</b> , approx. 34" x 30" x 47" ht.   |
| 89   | 1   | <b>ROLLING FOREMAN'S DESK</b> , 34" x 30" x 56" ht.   |
| 90   | 1   | <b>ROLLING CART</b> , approx. 34" x 24" x 36" ht., w/storage  |
| 91   | 1   | <b>ROLLING CART</b> , approx. 34" x 24" x 36" ht., w/storage  |
| 92   | 1   | <b>CONTRACTOR'S BOX, KNAACK</b> , approx. 4' x 2' x 4'  |
| 93   | 1   | <b>CONTRACTOR'S BOX, JOBOX</b> , approx. 5' x 32" x 4' ht., w/contents  |
| 94   | 1   | <b>CONTRACTOR'S BOX, JOBOX</b> , approx. 2' x 5' x 61", w/contents  |
| 95   | 1   | <b>CONTRACTOR'S BOX, JOBOX</b> , approx. 2' x 5' x 61", w/contents  |
| 96   | 1   | <b>LOT OF SHELVING</b> : 4-sections w/3-shelves each, approx. 4' x 2' x 6'  |
| 97   | 1   | <b>WOODEN BOOKCASES</b> , approx. 54" x 42" x 15" dp., w/contents   |
| 98   | 1   | <b>ROLLING METAL CART</b> , approx. 2' x 4', approx. (24) metal bins, w/assorted flange bolts                       |
| 99   | 1   | <b>PORTABLE AIR CONDITIONER, IDYLIS MDL. 416710</b> , 12,000 BTU's  |
| 100  | 1   | <b>PORTABLE AIR CONDITIONER, IDYLIS MDL. 416710</b> , 12,000 BTU's  |
| 100A | 1   | <b>(2) FURNITURE MOVERS, GLOBAL INDUSTRIAL, 1800 KG CAP., 250MM LIFTING HEIGHT, S/N GJ172828, S/N GJ172827</b>      |
| 101  | 1   | <b>PORTABLE MULTI-PROCESS WELDER, MILLER XMT350 CC/CV</b> , new 2014, S/N ME274050U                                 |
| 102  | 1   | <b>PORTABLE MULTI-PROCESS WELDER, MILLER XMT350 CC/CV</b> , new 2006, S/N LG37021A                                  |
| 103  | 1   | <b>PLASMA CUTTER, THERMAL DYNAMICS CUTMASTER 152</b> , approx. 32" x 24" x 36", on metal rolling stand              |
| 103A | 1   | <b>CONSTANT SPEED WIRE FEEDER, S-22P12, 24 v.</b> , S/N KH375913  |
| 104  | 1   | <b>WELDING MACHINE, MILLER SUBARC DC650</b> , new 2013, S/N MD120126C   |
| 104A | 1   | <b>SUBARC HEAD, MILLER STYLE HK1</b> , Superior Electric, Slo-Syn Type M092-FD08U                                   |
| 105  | 1   | <b>WELDING MACHINE, MILLER DIMENSION 652</b> , new 1999, Miller 70 Series wire feeder, S/N KK217268                 |
| 106  | 1   | <b>WELDING MACHINE, MILLER DIMENSION 452</b> , new 2014, Miller 70 Series wire feeder, S/N ME020245C                |
| 107  | 1   | <b>WELDING MACHINE, MILLER DIMENSION 452</b> , new 2014, Miller 70 Series wire feeder, S/N ME300012C                |
| 108  | 1   | <b>WELDING MACHINE, MILLER DELTAWELD 452</b> , Miller S-60 wire feeder, S/N LC470177                                |
| 109  | 1   | <b>WELDING MACHINE, MILLER DIMENSION 452</b> , new 2014, Miller 70 Series wire feeder, S/N ME010220C                |
| 110  | 1   | <b>WELDING MACHINE, MILLER DIMENSION 452</b> , new 2014, Miller 70 Series wire feeder, S/N ME010221C                |
| 111  | 1   | <b>WELDING MACHINE, MILLER SYNCROWAVE 350LX</b> , S/N KK107670  |
| 112  | 1   | <b>WELDING MACHINE, MILLER SYNCROWAVE 350LX</b> , S/N KK098985  |
| 113  | 1   | <b>WELDING MACHINE, LINCOLN IDEALARC DC400</b> , Miller Millermatic D-54A wire feeder, S/N AC769259                 |
| 114  | 1   | <b>WELDING MACHINE, LINCOLN IDEALARC R3S</b> , Miller Millermatic D-54A wire feeder, S/N AC293459                   |
| 115  | 1   | <b>WELDING MACHINE, MILLER DIMENSION 400</b> , Miller Millermatic S-54E wire feeder, S/N KD438296                   |
| 116  | 1   | <b>WELDING MACHINE, MILLER MDL. FC-65E</b> , Miller wire feeder, S/N JB569375                                       |
| 117  | 1   | <b>WIRE FEEDER, MILLER 70 SERIES</b>  |
| 118  | 1   | <b>WIRE FEEDER, LINCOLN ELECTRIC LN-7</b>   |
| 119  | 1   | <b>WIRE FEEDER, MILLER S-54E</b>  |
| 120  | 1   | <b>MULTI-PROCESS WIRE FEEDER, LINCOLN SQUIRT WELDER LN8</b>   |
| 121  | 1   | <b>LOT CONSISTING OF:</b> welding leads & oxy/acy. hose   |
| 121A | 1   | <b>GAUGE SET</b>  |
| 121B | 1   | <b>ULTRASONIC THICKNESS TESTER</b>  |
| 121C | 1   | <b>HARDNESS TESTER WITH TEST BARS</b>   |
| 122  | 1   | <b>LATHE, LEBLOND REGAL 24"</b> , 9" hollow spdl., 8' bed, 24" swing, approx. 21" dia. 3-jaw chuck, Dorian toolpost |
| 123  | 1   | <b>VERTICAL TURRET MILL, BIG JOE MDL. 2S</b> , 9" x 49" table, S/N 78562  |
| 124  | 1   | <b>PEDESTAL MOUNTED JIB CRANE</b> , approx. 9' x 7', CM elec. hoist, 300 lb. cap.                                   |
| 125  | 1   | <b>BENCH TOP GRINDER</b>  |
| 126  | 1   | <b>LOT OF MATERIAL STORAGE CABINETS</b> , approx. 3' x 6' x 18"   |
| 127  | 1   | <b>ROLLING STEP LADDER</b> , 8' to platform   |
| 128  | 1   | <b>STEP LADDER, DAVIDSON 10'</b>  |
| 129  | 1   | <b>ALUMINUM STEP LADDER, HUSKY 8'</b>   |

DIAMOND FABRICATION LLC CATALOG

| LOT | QTY | DESCRIPTION  |
|-----|-----|--|
| 130 | 1   | <b>LOT CONSISTING OF:</b> Aronson Mdl. HD100A Tilting Welding Positioner, 10,000 lb. cap., max. load torque 288,000 lb. in rot., 20,500 lb. in tilt, 460 v., 4' x 4' table, pendant control, S/N 73230, Aronson Outboard Support / Tailstock, approx. 4' x 4' table, riser base, approx. 43" x 36" x 25-1/2" ht. |
| 131 | 1   | <b>LOT CONSISTING OF:</b> Ransome Mdl. 4H Welding Positioner, 6,000 lb. cap., 72,000 lb. rotation torque, 12" C. of G. above table & 12" eccentric, 480 v., approx. 4' x 4' table, S/N 5121637, Ransome Worthington Outboard Support / Tailstock, 6,000 lb. cap., Size No. 4T, 4' x 4' table, S/N 55107          |
| 132 | 1   | <b>TILTING WELDING POSITIONER, PANDJIRIS MDL. 30-6 AB</b> , 460 v., pendant control, approx. 30" table, 3-jaw welding chuck, S/N 18309X00-9  |
| 133 | 1   | <b>TILTING WELDING POSITIONER, PANDJIRIS MDL. 30-6 AB</b> , 460 v., pendant control, approx. 30" table, 3-jaw welding chuck, S/N 18309X00-10   |
| 134 | 1   | <b>WELDING POSITIONER, PANDJIRIS MDL. BETA 12.5-5</b> , approx. 1,250 lb. cap., 480 v., approx. 2' dia. table w/12" dia. 3-jaw chuck, pendant control, S/N 19760L00  |
| 135 | 1   | <b>WELDING POSITIONER, ARONSON 4,500 LB. CAP. MDL. HS4-CAT</b> , approx. 30" x 30" table, pendant control, 54,000 lbs./in. max. table rotational torque, S/N 79213   |
| 136 | 1   | <b>TILTING WELDING POSITIONER, RANSOME 1,000 LB. CAP.</b> , Size 10-P, approx. 29" dia. table, 4" C. of G. above table, 4" eccentric, 440 v., 3 phase, S/N 1430-13   |
| 137 | 1   | <b>WELDING POSITIONER</b> , approx. 3' table w/1' dia. 3-jaw chuck, DC motor speed control   |
| 138 | 1   | <b>WELDING POSITIONER</b> , approx. 3' table w/1' dia. 3-jaw chuck, DC motor speed control   |
| 139 | 1   | <b>WELDING POSITIONER</b> , approx. 3' table w/approx. 20" dia. 3-jaw chuck, DC motor speed control  |
| 140 | 1   | <b>WELDING POSITIONER</b> , approx. 3' table w/approx. 15" dia. 3-jaw chuck, DC motor speed control  |
| 141 | 1   | <b>WELDING POSITIONER</b> , approx. 3' table w/approx. 15" dia. 3-jaw chuck, DC motor speed control  |
| 142 | 1   | <b>TILTING WELDING POSITIONER, RANSOME 500 LB. CAP.</b> , Size No. 5-1, approx. 25" dia. table, approx. 12" dia. 4-jaw chuck, mechanical & variable spdl. control, S/N 6282  |
| 143 | 1   | <b>BENCH TOP TILTING WELDING POSITIONER</b> , approx. 22" dia. w/approx. 9" dia. 3-jaw chuck, approx. 5' x 2' x 1/2" steel table   |
| 144 | 1   | <b>OXY./ACY. BOTTLE CART</b> , w/hose & gauges   |
| 145 | 1   | <b>OXY./ACY. BOTTLE CART</b> , w/hose & gauges   |
| 146 | 1   | <b>WELDING MANIPULATOR, PANDJIRIS MDL. 1100</b> , 11" reach, 11' lift, 460 v., Miller Mdl. HDC1500DX auto. control, Miller Dimension 652 pwr. source, S/N LF306228, approx. 92" x 8' x 1-1/4" x 22" ht. steel fab table, S/N 10789X07-2  |
| 147 | 1   | <b>WELDING MANIPULATOR, ARONSON 300 LB. CAP. MDL. G8VRA10CL-RPK-C</b> , 120" max. lift, 109" max. reach, 115 v., S/N 81449   |
| 148 | 1   | <b>WELDING MANIPULATOR, PROFAX</b> , approx. 5' lift, 5' reach, Lincoln Electric Mdl. LN7 Squirt Welder feed controller  |
| 149 | 1   | <b>TANK TURNING ROLL SET</b> , driver & idler, pendant control, approx. 16" x 5' range   |
| 150 | 1   | <b>TANK ROLL IDLER</b> , approx. 16" x 5' range  |
| 151 | 1   | <b>TANK TURNING ROLL SET, WEBB</b> , Mdl. T18-PWR-16 driver, 10,000 lb. cap., S/N 2013-308, Mdl. T18-IDL-16 idler, 10,000 lb. cap., S/N 2011-056   |
| 152 | 1   | <b>TANK TURNING ROLL SET, WEBB</b> , Mdl. T18-PWR-16 driver, 6,000 lb. cap., S/N 2011-005, idler Mdl. & cap. N.A.  |
| 153 | 1   | <b>TANK TURNING ROLL SET, PRESTON EASTIN</b> , Mdl. TDR410HD driver, 10,000 lb. cap., S/N FDRC100HD, Mdl. TIRA10HD idler, 10,000 lb. cap., pendant control, S/N TIRCIOHD-1013  |
| 154 | 1   | <b>TANK TURNING ROLL SET, PANDJIRIS</b> , driver, Mdl. IR5 idler, pendant control  |
| 155 | 1   | <b>TANK TURNING ROLL SET, PRESTON EASTIN</b> , driver, idler w/track roll base, track & pendant control  |
| 156 | 1   | <b>TANK TURNING ROLL SET, WEBB</b> , Mdl. T6-PWR-MDL driver, S/N 2440, Mdl. T6-IDL idler, 6,000 lb. cap., pendant control, stand mtd.  |
| 157 | 1   | <b>WELDING FAB TABLE</b> , approx. 48" x 60" x 1-1/2", 8" vise   |
| 158 | 1   | <b>OXY./ACY. PATTERN BURNING TABLE</b> , Ultra-Graph RC Series controller, approx. 4' x 5'   |
| 159 | 1   | <b>ELECTRODE STABILIZING OVEN, PHOENIX DRY ROD MDL. 4</b> , Type 750HT, 100 to 800 deg. F. max. temp, 6,000 watts, 3/60/480 v., approx. 42" x 48" x 2' dp.   |
| 160 | 1   | <b>ELECTRODE STABILIZING OVEN, PHOENIX DRY ROD MDL. 16C</b> , Type 300, 100 to 550 deg. F. max. temp, 1,000 watts, 120 AC v., approx. 18" dia. x 19" dp. chamber size  |

DIAMOND FABRICATION LLC CATALOG

| LOT  | QTY | DESCRIPTION   |
|------|-----|---|
| 161  | 1   | <b>ELECTRODE STABILIZING OVEN, PHOENIX DRY ROD MDL. 16C</b> , Type 300, 100 to 550 deg. F. max. temp, 1,000 watts, 120 AC v., approx. 18" dia. x 19" dp. chamber size                                   |
| 162  | 1   | <b>ELECTRODE STABILIZING OVEN, PHOENIX DRY ROD MDL. 16C</b> , Type 300, 100 to 550 deg. F. max. temp, 1,000 watts, 120 AC v., approx. 18" dia. x 19" dp. chamber size                                   |
| 163  | 1   | <b>PIPE PROFILING MACHINE, VERNON MDL. MPM2 0224</b> , 2" to 24" cap., approx. 30" x 30', pwr. feed & rotation, pwr. torch head, (2) sections of approx. 30' gravity fed pipe infeed conveyor, S/N 1231 |
| 164  | 1   | <b>PEDESTAL JIB CRANE, HANDLING SYSTEMS 1 T. X APPROX. 18' REACH</b> , 8' under hook, 16" column, Coffing 1 T. elec. hoist  |
| 165  | 1   | <b>WALL MOUNTED JIB CRANE</b> , 1 T. x approx. 14' reach, Coffing 1 T. elec. hoist  |
| 166  | 1   | <b>WALL MOUNTED JIB CRANE</b> , 1 T. x approx. 14' reach, Coffing 1 T. elec. hoist  |
| 167  | 1   | <b>WALL MOUNTED JIB CRANE</b> , 1 T. x approx. 14' reach, Coffing 1 T. elec. hoist  |
| 168  | 1   | <b>WALL MOUNTED JIB CRANE</b> , 1 T. x approx. 14' reach, Coffing 1 T. elec. hoist  |
| 169  | 1   | <b>WALL MOUNTED JIB CRANE</b> , 1 T. x approx. 14' reach, Coffing 1 T. elec. hoist  |
| 170  | 1   | <b>WALL MOUNTED JIB CRANE</b> , 1 T. x approx. 14' reach, Coffing 1 T. elec. hoist  |
| 171  | 1   | <b>WALL MOUNTED JIB CRANE</b> , 1 T. x approx. 14' reach, Coffing 1 T. elec. hoist  |
| 172  | 1   | <b>WALL MOUNTED JIB CRANE</b> , 1 T. x approx. 14' reach, Coffing 1 T. elec. hoist  |
| 173  | 1   | <b>BRIDGE CRANE, DEMAG 10 T. X APPROX. 54'W.</b> , pendant control, S/N 02127   |
| 174  | 1   | <b>BRIDGE CRANE, DEMAG 7-1/2 T. X APPROX. 54'W.</b> , pendant control, S/N 99505  |
| 175  | 1   | <b>HORIZONTAL BANDSAW, Mdl. W-10-1</b> , 3 HP motor, 115/230 v., S/N A-1466 W-10-803  |
| 176  | 1   | <b>AIR COMPRESSOR GARDNER DENVER MDL. EAM99A</b> , 75 HP motor, 100 PSIG, 460 v.  |
| 176A | 1   | <b>VERTICAL AIR RECEIVER</b> , approx. 3' dia. x 8'   |
| 177  | 1   | <b>LOT OF PIPE ROLLER STANDS</b>  |
| 177A | 1   | <b>LOT OF ASSORTED SCAFFOLDING, APPROX. 3 SECTIONS W/CASTERS</b>  |
| 177B | 1   | <b>LOT OF ASSORTED SCAFFOLDING, APPROX. 3 SECTIONS W/CASTERS</b>  |
| 178  | 1   | <b>LOT OF PIPE CHAIN VISES</b> , assorted   |
| 179  | 1   | <b>LOT OF FABRICATED HOSE/BOTTLE STANDS</b>   |
| 180  | 1   | <b>LOT OF WIRE MESH SHELVING UNITS, (6)</b> , w/oxy./acy. regulators & oxy./acy. torch parts  |
| 181  | 1   | <b>LOT OF ADJUSTABLE SHELVING</b> , w/misc. contents  |
| 182  | 1   | <b>LOT OF ADJUSTABLE SHELVING</b> , w/assorted welding & TIG wire   |
| 183  | 1   | <b>LOT OF ADJUSTABLE SHELVING</b> , w/Uline shrink film, breakers, electrical conduit & electrical wire   |
| 184  | 1   | <b>LOT OF ADJUSTABLE HELPER STANDS</b>  |
| 185  | 1   | <b>LOT OF ADJUSTABLE HELPER STANDS</b>  |
| 186  | 1   | <b>LOT OF ADJUSTABLE HELPER STANDS</b>  |
| 187  | 1   | <b>LOT OF ADJUSTABLE HELPER STANDS</b>  |
| 188  | 1   | <b>LOT OF ADJUSTABLE HELPER STANDS</b>  |
| 189  | 1   | <b>LOT OF ADJUSTABLE HELPER STANDS</b>  |
| 190  | 1   | <b>LOT OF ADJUSTABLE HELPER STANDS</b>  |
| 193  | 1   | <b>LOT OF ADJUSTABLE SHELVING</b> , w/flange studs, flange gaskets, ball valves, etc.   |
| 194  | 1   | <b>LOT OF COLLAPSIBLE WIRE BASKETS (4)</b> , ULINE, approx. 32" x 20" x 21", w/pipe plug protectors   |
| 194A | 1   | <b>CONTENTS OF CONTAINER, INCLUDING ADJUSTABLE SHELVING AND METAL STORAGE BINS</b>  |
| 195  | 1   | <b>LOT OF COLLAPSIBLE WIRE BASKETS (5)</b> , approx. 48" x 40", w/assorted pipe clamps  |
| 196  | 1   | <b>SHIPPING CONTAINER</b> , approx. 8' x 20'  |
| 197  | 1   | <b>SHIPPING CONTAINER</b> , approx. 8' x 20'  |
| 198  | 1   | <b>SHIPPING CONTAINER</b> , approx. 8' x 20'  |
| 199  | 1   | <b>SHIPPING CONTAINER</b> , approx. 8' x 20'  |
| 200  | 1   | <b>SHIPPING CONTAINER</b> , approx. 8' x 10'  |
| 201  | 1   | <b>A-FRAME GALVANIZED MATERIAL STORAGE RACK</b> , approx. 10'W. x 20'L. x 5' ht., w/roll back loading bar   |
| 202  | 1   | <b>A-FRAME GALVANIZED MATERIAL STORAGE RACK</b> , approx. 10'W. x 20'L. x 5' ht., w/roll back loading bar   |
| 203  | 1   | <b>A-FRAME GALVANIZED MATERIAL STORAGE RACK</b> , approx. 10'W. x 20'L. x 5' ht., w/roll back loading bar   |

DIAMOND FABRICATION LLC CATALOG

| LOT  | QTY | DESCRIPTION  |
|------|-----|--|
| 204  | 1   | <b>A-FRAME GALVANIZED MATERIAL STORAGE RACK</b> , approx. 10'W. x 20'L. x 5' ht., w/roll back loading bar  |
| 205  | 1   | <b>A-FRAME GALVANIZED MATERIAL STORAGE RACK</b> , approx. 10'W. x 20'L. x 5' ht., w/roll back loading bar  |
| 206  | 1   | <b>A-FRAME GALVANIZED MATERIAL STORAGE RACK</b> , approx. 10'W. x 20'L. x 5' ht., w/roll back loading bar  |
| 207  | 1   | <b>A-FRAME GALVANIZED MATERIAL STORAGE RACK</b> , approx. 10'W. x 20'L. x 5' ht., w/roll back loading bar  |
| 208  | 1   | <b>A-FRAME GALVANIZED MATERIAL STORAGE RACK</b> , approx. 10'W. x 20'L. x 5' ht., w/roll back loading bar  |
| 209  | 1   | <b>A-FRAME GALVANIZED MATERIAL STORAGE RACK</b> , approx. 3' x 4' x 6' ht.   |
| 210  | 1   | <b>A-FRAME GALVANIZED MATERIAL STORAGE RACK</b> , approx. 3' x 4' x 6' ht.   |
| 211  | 1   | <b>ROUGH TERRAIN CRANE, GROVE 44,000 LB. CAP. MDL. RT5-22</b> , 65' max. boom reach, 8,522 H.O.M., S/N 51146   |
| 211A | 1   | <b>ROUGH TERRAIN FORKLIFT, MASTER CRAFT 10,000 LB. BASE CAP. MDL. RTCC10543</b> , new 1999, 120" lift ht., fork positioner, S/N 1093   |
| 212  | 1   | <b>FORKLIFT, TOYOTA 9,000 LB. BASE CAP. MDL. 7FDKU40</b> , diesel pwr., 2-stage mast, 159.5" lift ht., 48" forks, side shift, solid pneu. style tandem tires, 16,361 H.O.M., S/N 61631   |
| 213  | 1   | <b>FORKLIFT, TOYOTA 5,000 LB. BASE CAP. MDL. 8FDU25</b> , 4,500 lb. cap. as eqpd., diesel pwr., 3-stage mast, 189" lift ht., 48" forks, side shift, solid tires, 1,507 H.O.M., S/N 32448 |
| 213A | 1   | <b>CUSTOM GOOSENECK TRAILER, 1996, 24' INCLUDING 4' DOVETAIL, VIN TR180482, LIC #87VRKP</b>  |
| 213B | 1   | <b>FORKLIFT EXTENSION BOOM</b>   |
| 214  | 1   | <b>SHIPPING CONTAINER</b> , approx. 8' x 20', w/side & rear door access  |
| 215  | 1   | <b>SHIPPING CONTAINER</b> , approx. 8' x 20', w/side & rear door access  |
| 216  | 1   | <b>SHIPPING CONTAINER</b> , approx. 8' x 20', w/side & rear door access  |
| 217  | 1   | <b>SHIPPING CONTAINER</b> , approx. 8' x 20', w/side & rear door access  |
| 218  | 1   | <b>LOT OF COMPOSITE FENCING PLANKS (Approx. Qty. 720), FENCE AMERICA LLC</b> , approx. 4.75" x 69", Lowes Product No. FNS-PKT-D-B-69-WSW3  |
| 219  | 1   | <b>LOT OF FLANGE STUDS</b>   |
| 221  | 1   | <b>COMMERCIAL SINK</b> , stainless steel, dbl. compartment   |
| 222  | 1   | <b>SHIPPING CONTAINER</b> , approx. 8' x 20'   |